

Swivel castor □125 mm

P/N: 0191445146 | LR Poly/St P2/125 luft

HUPFER
we make work flow



Technical data

Payload:	75 kg
Weight:	0.5 kg
Width:	148 mm
Depth:	59 mm
Height:	165 mm

Similar to illustration, technical modifications reserved. Without decoration.

The steering castor is used for attachment to movable equipment. The steering castor enables the mobility, steerability, and controllability of the devices.

The easy-running swivel castor made of high-quality plastic with zinc-coated steel parts is corrosion-resistant and designed for attachment to mobile equipment. The Hupfer swivel castor ensures the mobility of mobile devices. The effortless turning, steering, and positioning of the equipment using the swivel castors increase efficiency and safety when performing tasks in tight or crowded work areas. The robust swivel castor is equipped with a swivel bearing with a double row of balls, allowing for easy handling of the equipment, even with heavy loads. The air-identical wheel combines the smoothness of air-filled tyres with the robustness of solid rubber tyres. The ball bearing enables almost silent and smooth mobility. The swivel castor is securely mounted to the device using a mounting plate, ensuring stability.

- Durable plastic housing ensures longevity - Swivel bearing with double ball ring allows for effortless movement and precise control - Air-identical roller provides smooth operation and robustness - Ball bearings and thread protection ensure nearly silent and smooth maneuverability

Time and date of the request:
09.06.2025, 05:21:43

All information / dimensions are approximate, technical changes reserved. © Hupfer