

Hot and cold plate GN 1/1

P/N: 8900478 | A-GS/N12 0900/600

HUPFER
we make work flow



Similar to illustration, technical modifications reserved. Without decoration.

Technical data

| | |
|---|------------------------|
| Max. bay load | 200 |
| Carbon footprint (TM65 Basic Report) | 42 kgCO ₂ e |
| Payload: | 9 |
| Capacity: | 1840 W |
| Supply voltage: | 220 V |
| Nominal current: | 8,0 A |
| Protection class: | Class I |
| Frequency: | 50 Hz |
| Weight: | 13 kg |
| Width: | 330 mm |
| Depth: | 530 mm |
| Height: | 202 mm |

Closed support made of polystyrene segments on aluminium bearer beams.

The effortlessly attachable, closed plastic tray provides a lightweight, safe, and very easy-to-clean surface, even dishwasher safe. Despite its low weight, this tray from the Norm 12 shelf can hold high loads. Temperatures of -30°C are also no problem in the long term. The materials used are sustainable, 100% recyclable, and so valuable that Hupfer guarantees to buy back your entire shelf at the end of its service life.

- Closed design in plastic with low weight ensures safe, hygienic storage and clear access at all times
- Quality processing of high-quality plastic enables perfect hygiene and easy cleaning even in the dishwasher
- Valuable materials ensure sustainability and value retention
- Stable construction guarantees high load capacity
- Modular system ensures easy handling from assembly to cleaning with minimal effort

Time and date of the request:
22.02.2026, 04:27:36

All information / dimensions are approximate, technical changes reserved. © Hupfer