


**Stationary shelving set norm 35 with wire shelf**

P/N: N35DR41005102000 | RG-RS/N28 600kg 2000/500

**Technical data**

*Similar to illustration, technical modifications reserved. Without decoration.*

<b>Modular dimension:</b>	300 mm
<b>Max. bay load</b>	250
<b>Max. section load</b>	2000
<b>Carbon footprint (TM65 Midlevel Report)</b>	1117 kgCO <sub>2</sub>
<b>TM65 Midlevel Report</b>	<a href="#">Link to the certificate</a>
<b>Weight:</b>	116 kg
<b>Width:</b>	4025 mm
<b>Depth:</b>	510 mm
<b>Height:</b>	2000 mm

Modular shelving system made of high-gloss anodised steel in hygienic design, for arrangement in a straight line or for angled setup with corner hooks, freely extendable lengthwise.

Uprights made of 1.0 × 1.0" (25 × 25 mm) square tubes, connected and stabilised by press-fitted 2.0 × 0.32" (50 × 8 mm) upright spokes running crosswise. Upper covering caps made of plastic, height-adjustable screw feet for compensating floor unevennesses of up to 1.0" (25 mm) as hygienic ending of upright. Welded ø 0.28" (7 mm) shelf bolts at distances of 5.9" (150 mm) for easy attaching of shelves.

- lateral bracing bars also reinforce the shelving and allow for particularly high load-bearing capacities
- wire shelf ensures well-ventilated, safe and hygienic storage and keeps the stored goods in peak condition
- high-quality stainless steel workmanship enables easy cleaning and perfect hygiene
- modular system allows for any design and extension and ensures the most efficient use of space
- valuable materials ensure sustainability and value retention
- robust construction guarantees high stability and particularly high load-bearing capacity

## Stationary shelving set norm 35 with wire shelf

P/N: N35DR41005102000 | RG-RS/N28 600kg 2000/500

- modular system ensures easy handling from assembly to cleaning with little effort