

# Stationary shelving set norm 5 with solid shelf

**HUPFER**  
we make work flow

P/N: N5GS13004001200 | RG-BR/N20 1000/500/300

## Technical data



<b>Modular dimension:</b>	150 mm
<b>Carbon footprint (TM65 Basic Report)</b>	236 kgCO <sub>2</sub> e
<b>Weight:</b>	25 kg
<b>Width:</b>	1300 mm
<b>Depth:</b>	400 mm
<b>Height:</b>	1200 mm

*Similar to illustration, technical modifications reserved. Without decoration.*

Base grating made of plain anodised aluminium in hygienic design as per DIN 18868-2, suitable for continuous use at -40 to +140°F (-40 to +60 °C).

Uprights made of special 1.0 × 1.0" (25 × 25 mm) square tubes, connected and stabilised by press-fitted 1.6 × 0.28" (40 × 7 mm) upright spokes running crosswise. Upper covering caps made of plastic and height-adjustable screw feet for compensating floor unevennesses of up to 0.8" (20 mm) as hygienic ending of upright. Grating in hygienic design for easy cleaning. Long rails with jointless press-fitted 0.8 × 0.28" (20 × 7 mm) rectangular tubes running crosswise at distances of 1.2" (30 mm).

The Hupfer Norm 20 aluminium floor shelf is delivered disassembled for self-assembly, and provides HACCP-compliant storage options for foodstuffs, a floor clearance height that ensures easy cleaning, and is suitable for a wide range of temperature conditions.

Time and date of the request:  
22.05.2026, 16:10:24

*All information / dimensions are approximate, technical changes reserved. © Hupfer*