

Stationary shelving set norm 5 with solid shelf

P/N: N5GS13004001200 | RG-BR/N20 1000/500/300

HUPFER
we make work flow

Technical data



Similar to illustration, technical modifications reserved. Without decoration.

| | |
|---------------------------------------------|-------------------------|
| Modular dimension: | 150 mm |
| Carbon footprint (TM65 Basic Report) | 236 kgCO ₂ e |
| Weight: | 25 kg |
| Width: | 1300 mm |
| Depth: | 400 mm |
| Height: | 1200 mm |

Base grating made of plain anodised aluminium in hygienic design as per DIN 18868-2, suitable for continuous use at -40 to +140°F (-40 to +60 °C).

Uprights made of special 1.0 × 1.0" (25 × 25 mm) square tubes, connected and stabilised by press-fitted 1.6 × 0.28" (40 × 7 mm) upright spokes running crosswise. Upper covering caps made of plastic and height-adjustable screw feet for compensating floor unevennesses of up to 0.8" (20 mm) as hygienic ending of upright. Grating in hygienic design for easy cleaning. Long rails with jointless press-fitted 0.8 × 0.28" (20 × 7 mm) rectangular tubes running crosswise at distances of 1.2" (30 mm).

The Hupfer Norm 20 aluminium floor shelf is delivered disassembled for self-assembly, and provides HACCP-compliant storage options for foodstuffs, a floor clearance height that ensures easy cleaning, and is suitable for a wide range of temperature conditions.

Time and date of the request:
24.02.2026, 13:53:40

All information / dimensions are approximate, technical changes reserved. © Hupfer