MEDICAL

Product overview





Table of contents

Page

About us	4
Your partner for sterile supplies logistics	6
01 Baskets and containers	8
Sterile goods baskets	10

Sterile goods baskets	10
Sterile goods basket accessories	18
Mesh trays and mesh baskets	20
Accessories for mesh trays and mesh baskets	24
Fine mesh baskets	28
Special baskets	30
Containers	34

02 Transport solutions 38

40
46
52
54
62
70
72

2 3

Page

03 Känguruh systems®	78
04 Shelving systems	86
The Norm shelving system	88
Norm 5 shelving unit	90
Norm 5 Medidul shelving unit	102
Norm 25 shelving unit	108
Norm 20 shelving unit	112
Norm 12 shelving unit	124
Easy Rider systems	128
Mobile shelving	130
Wall shelving	134
05 Medical furnishings	138
MediFurn	140
Medical furnishings	148
06 Laundry and waste collectors	164

Laundry and waste collectors	166
Theatre laundry/waste collectors	168

Our most successful product is customer satisfaction






Our success story began with metalworking and wire mesh processing, and we have added many exciting new chapters to it over the years. Our philosophy and actions have always been determined by our understanding of quality, our instinctive grasp of precision and our aspiration to always offer the best possible solutions.

We have continually grown along with the challenges and expectations of our customers. Today Hupfer is a specialist for kitchen and sterile supplies logistics, offering bespoke "Made in Germany" concepts appreciated by more and more customers around the world.





Your partner for innovative sterile supplies logistics




At Hupfer we develop our products and systems based on a deep understanding of the logistical structures and individual requirements of clinics and medical departments.

As specialists for sterile supplies logistics, we offer integrated solutions for supplying and disposing of sterile goods. Whether sorting, packaging, organising, transporting, storing or distributing – Hupfer helps you optimise work processes, increase occupational safety and guarantee the highest standards of hygiene for cleaning, disinfecting and sterilising.

With decades of experience, in-depth knowledge of the industry and convincing ideas, we support planners, specialist dealers and users, so that everyone involved can be sure that they can ultimately achieve the goals we all share: safety, cost-effectiveness and genuinely satisfied customers, including the patients.

Anytime, anywhere: the highest standards of safety and hygiene



Baskets and containers

Careful and structured handling of sterile supplies is the basis for many crucial processes in clinics, hospitals and sterilisation facilities. Hupfer offers a comprehensive range of baskets and containers for a wide variety of applications and requirements. They meet the highest quality standards from the material to the workmanship and guarantee optimum functionality and safety in daily use.





Excellent products with decisive advantages

Wire sterile goods baskets are used for transporting and storing sterile supplies in soft packaging. Some designs can be used in cabinet systems as well as in shelving systems or in connection with wall-mounted hook rails. They are also used in open and enclosed transport trolleys.

Hupfer sterile goods baskets are made of high-quality, electropolished stainless steel, are designed for rugged daily use, and are manufactured with care and precision for safe handling, durability and easy cleaning.



Whether stackable on top of or inside each other or for hanging on wall-mounted hook rails – our comprehensive range of sterile goods baskets has the right solution for every requirement and area of use.

- Completely hygienic, protected transport
- Space-saving storage
- Practical provision
- Edge protection for safer handling

















BASKETS AND CONTAINERS

01



Sterile goods baskets - stackable inside each other

These sterile goods baskets are designed to ensure a rapid workflow while requiring little space. They can be stacked inside each other to save space at the packing table, and then stacked on top of each other once filled. The sophisticated, carefully manufactured wire mesh structure is ideal for safe handling, stability, optimum cleaning and hygiene. Large quantities of empty baskets can be neatly stacked deep into each other, then cleaned and disinfected in a single process.



Insertable StU sterile goods basket

- With pull-out frame
- Stackable inside and on top of each other
- With fold-down handles

	StU	Clear internal floor dimension (mm)	Dimensions W x D x H (mm)	Product code
SteriKo StE-1/1 600/300/260 KG SchR	1/1	541 x 261	600 x 300 x 260	7500011
SteriKo StE-1/2 600/300/138 KG SchR	1/2	541 x 261	600 x 300 x 138	7500012
SteriKo StE-1/3 600/300/97 KG SchR	1/3	541 x 261	600 x 300 x 97	7500013



Insertable ISO sterile goods basket


- With pull-out frame
- Stackable inside and on top of each other

	ISO	Dimensions W x D x H (mm)	Product code
SteriKo ISO-1/3 600/400/100 SchR	1/3	600 x 400 x 100	7214005
SteriKo ISO-1/2 600/400/130 SchR	1/2	600 x 400 x 130	7214015
SteriKo ISO-1/2 600/400/150 SchR	1/2	600 x 400 x 150	7214016
SteriKo ISO-2/3 600/400/180 SchR	2/3	600 x 400 x 180	7214006



With pull-out
Stackable ins
With fold-dov

	SPRI	Dimensions W x D x H (mm)	Product code
SteriKo Spri-1/2 585/395/100 KG	1/2	585 x 395 x 100	7593507
SteriKo Spri-1/1 585/395/195 KG	1/1	585 x 395 x 195	7593508




Insertable SPRI sterile goods basket

frame

side and on top of each other

wn handles







Slide rails folded down: Baskets can be stacked on top of each other and individually slid in and out.

ErgoSlide® Sterile goods basket – stackable with innovative slide rail

The Hupfer ErgoSlide® series offers extra safety and ergonomics in sterile supplies logistics. Thanks to the side rails, the baskets can be slid over each other and removed again without the upper basket slipping into the one below. For stacking, the slide rails are simply folded outwards or inwards. The robust hinges can be easily checked for dirt and cleaned if necessary.



StU sterile goods basket - not insertable into U-shaped rails

- Stackable inside and on top of each other
- With folding handles on sides with slide rail function

	StU	Clear internal floor dimension (mm)	Dimensions W x D x H (mm)	Product code
SteriKo StE-1/1 600/292/260 KG	1/1	547 x 268	600 x 292 x 260	7501862
SteriKo StE-1/2 600/292/138 KG	1/2	547 x 268	600 x 292 x 138	7501860
SteriKo StE-1/2 600/292/150 KG	1/2	547 x 268	600 x 292 x 150	7501861
SteriKo StE-1/3 600/292/97 KG	1/3	547 x 268	600 x 292 x 97	7501863



Slide rail folded out: Baskets can be stacked inside each other to save space.



Sterile goods baskets - stackable on top of each other

Stacked on top of each other, these baskets allow clearly arranged provision of working material and sterile supplies. Versions with straight access openings, inclined access openings and access and handle openings allow instant access to baskets and the items in them. Baskets filled with sterile supplies can be stacked on top of each other without any problems. They are also suitable for hanging on wall-mounted hook rails, hook racks and hook trolleys.



Sterile goods basket with access opening from above ..



... with inclined access opening ...



... with broadside access opening.



Perfectly arranged: sterile supplies always at hand





- Stackable on top of each other
- With handle opening

•	Design	StU	Dimensions W x D x H (mm)	Product code
SteriKo StE-1/2 575/280/135 GrÖ	With handle opening	1/2	575 x 280 x 135	7500016
SteriKo StE-1/2 575/280/135 GrÖ ES	With inclined access opening	1/2	575 x 280 x 135	7500148
SteriKo StE-1/1 575/280/265 GrÖ	With handle opening	1/1	575 x 280 x 265	7500017
SteriKo StE-1/1 575/280/265 GrÖ EÖ	With handle opening and access opening	1/1	575 x 280 x 265	7500018
SteriKo StE-2/1 575/560/265 GrÖ	With handle opening	2/1	575 x 560 x 265	7500019





	Design	StU	Dimensions W x D x H (mm)	Product code
SteriKo StE-1/1 600/300/300 GrÖ	With handle opening	1/1	600 x 300 x 300	7500020
SteriKo StE-1/2 600/300/150 GrÖ	With handle opening	1/2	600 x 300 x 150	7500021
SteriKo StE-1/2 600/300/150 GrÖ ES	With inclined access opening	1/2	600 x 300 x 150	7500301
SteriKo StE-1/1 600/300/300 GrÖ EÖ	With handle opening and access opening	1/1	600 x 300 x 300	7500022




Stackable ISO sterile goods basket

With handle opening

	Design	ISO	Dimensions W x D x H (mm)	Product code
SteriKo ISO-1/1 600/400/300 GrÖ	With handle opening	1/1	600 x 400 x 300	7500626
SteriKo ISO-1/1 600/400/300 GrÖ EÖ	With handle opening and access opening	1/1	600 x 400 x 300	7500969
SteriKo ISO-1/2 600/400/150 GrÖ	With handle opening	1/2	600 x 400 x 150	7500625

Sterile goods basket for 1/6 StU

This special basket is designed for holding and storing instruments and large trays. It is suitable for Norm 5 Medidul shelving systems, cabinet systems with L rails and use in the Hupfer Känguruh System®.



Stackable StU sterile goods basket

Stackable on top of each other

Stackable on top of each other

Stackable StU sterile goods basket

	StU	Dimensions W x D x H (mm)	Product code
ame	1/6	600 x 300 x 44	7501508

Sterile goods basket accessories



With useful and practical accessories, the functionality and handling of sterile goods baskets can be individually extended according to how and where they are used. From basket dividers to damage protection clips, our range of accessories provide first-class solutions for every requirement.



BASKETS AND CONTAINERS

0'

Basket divider

■ Wire thickness: Ø 2.5 mm

	For article/model	Dimensions W x H (mm)	Product code
Basket divider 278/118/5	Basket 7500016	278 x 118	7500218
Basket divider 298/126/5	Basket 7500021	298 x 126	7500220
Basket divider 278/241/8	Basket 7500017	278 x 241	7500219
Basket divider 298/271/8	Basket 7500020	298 x 271	7500221
Basket divider 262/126/9	Basket 7500148	262 x 126	7500149



Wire basket divider

■ Wire thickness: Ø 2.5 mm

	For article/model	Dimensions W x H (mm)	Product code
Wire basket divider 282/141/8	7500516: Basket 7500301	282 x 141	7500516
Wire basket divider 398/121/8	7500517: Basket 7500625	398 x 121	7500517





	For article/model	StU	Dimensions W x H (mm)	Product code
Wire basket divider 600/150	Basket 7500021	1/2	598 x 126	7502949
Wire basket divider 600/300	Basket 7500020 + 7500022	1/1	598 x 271	7502950



Damage protection clip
for sterile goods basket



Damage protection clip for the sterile goods basket

Suitable for baskets with 3.5 mm wire thickness

Especially for ErgoSlide[®] and insertable StU sterile goods baskets.

Dimensions W x H (mm)	Product code
101 x 25	7500279

Mesh trays and mesh baskets



Hupfer mesh trays

Hupfer mesh trays and mesh baskets are manufactured to the highest quality standard and meet the strict safety requirements for everyday clinical practice. Because they are carefully manufactured without sharp edges and corners, they not only provide optimum protection for instruments and soft packaging, but also safety for staff and patients during handling. The sturdy design guarantees high loading capacity and outstanding durability.



Quality without sharp corners and edges. The careful manufacturing of Hupfer mesh trays and mesh baskets increases safety during daily work – to protect employees and sensitive materials.





Hupfer mesh trays

- Burr-free top frame without sharp edges and corners
- Smooth wire mesh protects the stored materialMesh size designed for optimum cleaning
- and drying
- Floor struts for high loading capacity
- Sturdy corner struts to protect from damage

Hupfer mesh baskets

- Each individual wire is welded so that the mesh floor is completely connected
- Upper frame is welded to the perforated plate
- The finely perforated, burr-free perforated plate protects fine and sharp-pointed instruments from pushing through the mesh
- Holes in the sides and floor are optimally sized for cleaning and drying
- Floor struts for high loading capacity

Hupfer mesh baskets (dry mesh)

- Version without base frame to reduce condensation water
- Broad weight distribution for optimum protection of soft packaging
- Upper frame welded to perforated plate
- The finely perforated, burr-free perforated plate protects fine and sharp-pointed instruments from pushing through the mesh
- Ideally suited for the use of soft packaging as a sterile barrier system





Mesh trays and mesh baskets



Mesh trays

Hupfer mesh trays are made of high-quality electropolished round stainless steel wire and are hygienic and easy to clean. The special shape of the base frame means the mesh trays can be safely and neatly stacked on top of each other. The internal drop handles on the short sides make them particularly easy to handle.



Mesh tray with drop handles

Mesh size: 4.64 x 4.64 mm With stackable frame

	Dimensions W x D x H (mm)	Product code
SiSch 240/250/50 SR FG DM	240 x 250 x 50	7500053
SiSch 240/250/70 SR FG DM	240 x 250 x 70	7500046
SiSch 240/254/50 SR FG DM	240 x 254 x 50	7500001





Mesh size: 6 x 6 mm

Mesh baskets with perforated sides

	Dimensions W x D x H (mm)	Product code
SiKo 240/250/66 SR FG LB/SG	240/250/66	7501295
SiKo 480/250/66 SR FG LB/SG	480/250/66	7501296
SiKo 510/250/66 SR FG LB/SG	510/250/66	7501297

Mesh tray with drop handles

Mesh size: 4.64 x 4.64 mm

With stackable frame

	Dimensions W x D x H (mm)	Product code
SiSch 480/250/50 SR FG DM	480 x 250 x 50	7500059
SiSch 480/250/70 SR FG DM	480 x 250 x 70	7500048
SiSch 480/250/100 SR FG DM	480 x 250 x 100	7500049
SiSch 480/254/50 SR FG DM	480 x 254 x 50	7500004
SiSch 510/254/50 SR FG DM	510 x 254 x 50	7500065
SiSch 540/252/60 SR FG DM	540 x 252 x 60	7500070



Double bin basket

- With stackable frame
- With locking mechanism
- Mesh size: 4.64 x 4.64 mm

	Dimensions W x D x H (mm)	Product code
SiSch/VER 265/250/100 SR VG DM	265 x 250 x 100	7501187
SiSch/VER 505/250/100 SR VG DM	505 x 250 x 100	7501188

Mesh basket with drop handles and dry mesh



Mesh size: 6 x 6 mm Perforated plate thickness: 0.8 mm Without stackable frame

	Dimensions W x D x H (mm)	Product code
SiKo 120/250/60 oR FG LB/SG	120 x 250 x 60	7500809
SiKo 240/250/60 oR FG LB/SG	240 x 250 x 60	7500645
SiKo 320/115/60 oR LB/SG	320 x 115 x 60	7500683
SiKo 320/230/60 oR FG LB/SG	320 x 230 x 60	7500730
SiKo 360/250/60 oR FG LB/SG	360 x 250 x 60	7515007
SiKo 480/250/60 oR FG LB/SG	480 x 250 x 60	7500599
SiKo 480/250/100 oR FG LB/SG	480 x 250 x 100	7515006
SiKo 480/300/60 oR FG LB/SG	480 x 300 x 60	7500729



Lid for mesh trays and mesh baskets with drop handles

With sash lock

	For article/model	Mesh size mm	Dimensions W x D x H (mm)	Product code
Lid 480/250/16	Wire mesh tray	4.64 x 4.64	480 x 250 x 16	7500911
Lid 240/250/16	Wire mesh tray	4.64 x 4.64	240 x 250 x 16	7500912
Lid 240/250/16	Mesh basket with perforated sides	6 x 6	240 x 250 x 16	7515645
Lid 480/250/16	Mesh basket with perforated sides	6 x 6	480 x 250 x 16	7515599



With high-quality perforated sides, Hupfer mesh baskets offer particular protection from damage. This means they are suitable for very fine, pointed and conically tapered instruments as well as for sensitive soft packaging. The bottoms, made of welded mesh, allow for optimum drainage and ensure no areas are missed when cleaning and disinfecting.

Mesh basket with drop handles

Perforated plate thickness: 0.8 mm

Electropolished stainless steel

Accessories for mesh trays and mesh baskets

Mesh trays and mesh baskets can be equipped with special accessories for specific applications. Not least among these are the practical 1-2-3-Racks for safely accommodating sensitive instruments.



1-2-3-Rack instrument fixing set


Rost frei

This range of accessories offers perfectly fitted solutions for the protection, safe storage and provision of sensitive instruments. With the 1-2-3-Racks they can be fastened or released with just one movement.





	For mesh size (mm)	Dimensions W x D x H (mm)	Product code
FIX/Instr R2 SiScha/240	240	227 x 225 x 40	7501398





3	For mesh bas
	For all comm
	Electropolish

	For mesh size (mm)	Dimensions W x D x H (mm)	Product code
FIX/Instr R4 SiScha 480	480	467 x 225 x 40	7501400

1-2-3-Rack Model 1 instrument fixing set

For mesh basket with perforated sides

size (mm)	Dimensions W x D x H (mm)	Product code
0	227 x 225 x 40	7501397

1-2-3-Rack Model 2 instrument fixing set

For mesh basket with perforated sides

- For bayonet instruments
- Electropolished stainless steel

1-2-3-Rack Model 3 instrument fixing set

For mesh basket with perforated sides

- For all common instruments
- Electropolished stainless steel

For mesh size (mm)	Dimensions W x D x H (mm)	Product code
480	467 x 225 x 40	7501399

1-2-3-Rack Model 4 instrument fixing set

sket with perforated sides

- non instruments
- ned stainless steel

Accessories for mesh trays and mesh baskets





1-2-3-Rack Model 5 instrument fixing set

- For mesh basket with perforated sides
- For general and bayonet instruments
- Electropolished stainless steel

	For mesh size (mm)	Dimensions W x D x H (mm)	Product code
FIX/Instr R5 SiScha 480	480	467 x 225 x 40	7501401





	For mesh basket with
	For long-shafted inst
\sum	Electropolished stain

1-2-3-Rack Model 6 instr	rument fixing set
--------------------------	-------------------

th perforated sides

- truments
- nless steel


	For mesh size (mm)	Dimensions W x D x H (mm)	Product code
FIX/Instr R6 SiScha 510	510	460 x 232 x 155	7501402



1-2-3-Rack Model 7 instrument fixing set

- For mesh basket with perforated sides
- For shafted instruments
- Electropolished stainless steel

	For mesh size (mm)	Dimensions W x D x H (mm)	Product code
FIX/Instr R7 SiScha 240	240	220 x 232 x 155	7501421



	For article/model	Dimensions W x D x H (mm)	Product code
Sign holder set 52/25/6	Mesh trays	53 x 12 x 25	7500064

ing unit	Dimensions W x D x H (mm)	Product code
4 units	22 x 42 x 47	7501173

Dimensions W x D x H (mm)	Product code
80 x 40 x 10	7504908



Fine mesh baskets

BASKETS AND CONTAINERS

01





Small parts are safely stored in these wire baskets and can still be optimally cleaned. The lids are securely connected to the baskets and can be opened and closed with one hand.



Fine mesh basket made of stainless steel wire

- With lid
- With base frame
- Mesh size: 1.6 x 1.6 mm

	Dimensions W x D x H (mm)	Product code
SiKo/KT 80/40/32 BR oG DM mD	80 x 40 x 32	7501282
Siko/KT 80/40/4BR oG DM mD	80 x 40 x 42	7501220
SiKo/KT 80/80/42 BR oG DM mD	80 x 80 x 42	7501132

Fine mesh basket made of stainless steel wire

- With lid
- With base frame
- Mesh size: 1.6 x 1.6 mm

	Dimensions W x D x H (mm)	Product code
SiKo/KT 200/100/50 BR oG DM mD	200 x 100 x 50	7501204
SiKo/KT 220/140/54 BR oG DM mD	220 x 140 x 54	7501133
SiKo/KT 274/174/36 BR oG DM mD	275 x 174 x 36	7501135
SiKo/KT 210/150/40 BR oG DM mD	210 x 150 x 42	7501161
SiKo/KT 310/210/40 BR oG DM mD	310 x 214 x 42	7501162

Fine mesh basket with perforated sides



Removable lid With base frame

- Sides are made of finely perforated plate and the base and lid are made of welded mesh
- Mesh size: 6 x 6 mm

	Dimensions W x D x H (mm)	Product code
SiKo/KT 240/250/40 BR oG LB DM mD	240 x 250 x 40	7501150
SiKo/KT 480/250/40 BR oG LB DM mD	480 x 250 x 40	7501151


Baskets for hanging rail


These two basket types allow customised ergonomics and processes in many work areas. They make working materials instantly available and can be refilled or reorganised on the hanging rail in no time at all.



	Size	Dimensions W x D x H (mm)	Product code
DCont fGS G3 350/210/200	3	350 x 210 x 200	7502948
DCont fGS G4 230/150/125	4	230 x 150 x 125	7502947







Wire container for hanging rails

Electropolished stainless steel

Catheter basket for hanging rail

Mesh size: 8 x 8 mm Electropolished stainless steel

Dimensions W x D x H (mm)	Product code
150 x 100 x 200	7500150
150 x 100 x 280	7500151
150 x 100 x 480	7500152

Special baskets



For highly specialised instruments and applications, Hupfer develops mesh baskets and special baskets that are perfectly suited to the situation in the operating theatre. Instrument trays are equipped with custom-made holders and lids so that sensitive instruments are optimally fastened and protected at all times. This means they offer the ideal conditions for safe storage, transport and hygienic handling.






Mesh basket for ENT instruments


- With instrument holders
- Removable lid
- Includes fine mesh basket
- With perforated sides



	Dimensions W x D x H (mm)	Product code
SiKo/Endo 290/80/52 oR oG DS mD 1-fach	290 x 80 x 52	7500479
SiKo/Endo 460/80/52 oR oG DS mD 1-fach	460 x 80 x 52	7500475
SiKo/Endo 670/80/52 oR oG DS mD 1-fach	670 x 80 x 52	7500508








End
F

	Dimensions W x D x H (mm)	Product code
SiKo/Endo 290/80/52 oR oG DS mD 2-fach	290 x 80 x 52	7500831
SiKo/Endo 460/80/52 oR oG DS mD 2-fach	460 x 80 x 52	7500830



	Dimensions W x D x H (mm)	Product code
SiKo/KT 240/250/40 oR oG LB SG IA mD	240 x 250 x 40	7501349
SiKo/KT 480/250/40 oR oG LB SG IA mD	480 x 250 x 40	7501350



DaVinci basket

- With instrument holder and lid
- Electropolished stainless steel

	For DaVinci endoscope	Dimensions W x D x H (mm)	Product code
Siko/Endo 640/150/77 oR oG DS mD IA	For SI generation since 2009	640 x 150 x 77	7501473
Siko/Endo 638/392/71 oR oG DS mD IA	For Xi generation since 2014	638 x 392 x 71	7501709



Endoscope basket

Secured against coming opening Secure sash lock With silicone inserts

Endoscope basket with holder for accessories and connections

With additional L-wire for holding accessories and connections

- With closed wire loops
- With silicone inserts

Dimensions W x D x H (mm)	Product code
290 x 80 x 52	7501334
460 x 80 x 52	7501336

Endoscope basket with optical fibre cable holder

- With fine mesh basket 80 x 40 x 32 mm Maximum length of optical fibre: 4500 mm Secure sash lock
 - Dimensions W x D x H (mm) Product code 7500849 640 x 150 x 77

doscope basket with 2 compartments

- Removable lid
- Secure sash lock
- With closed wire loops
- With silicone inserts

Special baskets

In the packing area of a central sterilisation unit, it is important that work is always carried out tidily and in the right order. Here, too, the sturdy, hygienic Hupfer wire baskets do their job reliably and provide perfect protection for the items inside.



Wire basket

Mesh size: 8 x 8 mm With hase fr

With	base	frame	

	Dimensions W x D x H (mm)	Product code
DraKo 100/100/100	100 x 100 x 100	7500900
DraKo 120/120/120	120 x 120 x 120	7500901
DraKo 140/140/140	140 x 140 x 140	7500902
DraKo 160/160/160	160 x 160 x 160	7500903
DraKo 180/180/180	180 x 180 x 180	7500904
DraKo 200/200/200	200 x 200 x 200	7500905
DraKo 300/200/200	300 x 200 x 200	7500906
DraKo 400/200/200	400 x 200 x 200	7500907



Instrument tray

Mesh size: 10 x 10 mm

- Welded mesh wire thickness: 1.2 mm
- Electropolished stainless steel

	Dimensions W x D x H (mm)	Product code
Instrument tray 245/175/100	245 x 175 x 100	7500075




Containers



Wherever wet or dripping materials have to be picked up in clinical or hospital operations, Hupfer offers the right containers made of sturdy polymers or stainless steel for particularly tough applications. Equipped with lids, they ensure problem-free transport and a high level of hygienic safety.

Polymer containers



	Effective dimensions	Overall dimensions	Product
	W x D x H mm	W x D x H mm	code
BEH/Ents PP 600/300/200	550 x 255 x 170	590 x 290 x 192	7500882





BEH/Spez 530/325/150	
BEH/Spez 530/325/200	





Container for used instruments basket

- Hygienic container and lid made of high-quality polypropylene
- Suitable for holding a used instruments basket
- Suitable for washing devices
- Sterilisable at brief maximum temperature of 134 °C

Dimensions W x D x H (mm)	Product code
300 x 225 x 125	7500076
300 x 225 x 125	7500077

Container

- Resistant to disinfectant solutions, oils and grease.
- Can briefly withstand 135 °C
- Cannot be sterilised

Dimensions W x D x H (mm)	Product code
530 x 325 x 100	7500083
530 x 325 x 150	7500247
530 x 325 x 200	7500084

Transparent lid for special container

Can briefly withstand 135 °C Resistant to: Disinfectants, oils, grease

Dimensions W x D (mm)	Product code
530 x 325	7500085

Containers



Our Gastronorm containers can handle almost any use or material. They are designed for uncompromisingly tough use. Robust and made of stainless steel, they can handle jobs that containers made of other materials cannot.

Gastronorm containers





Gastronorm container 1/1

- Overall dimensions: 530 x 325 mm
- Material thickness: 0.8 mm
- Stainless steel

	Depth (mm)	Product code
BGN 1/1-20	20	0130602H
BGN 1/1-40	40	0130612H
BGN 1/1-55	55	0132792H
BGN 1/1-65	65	0130622H
BGN 1/1-100	100	0130632H
BGN 1/1-150	150	0130642H
BGN 1/1-200	200	0130652H



Lid for Gastronorm container 1/1

Stainless steel

	For container size	Product code
BGD 1/1	GN 1/1	0131642H





Transport solutions

Safe and efficient sterile supply cycles are crucial for successful work in clinics, hospitals and sterilisation facilities. Hupfer offers integrated transport solutions that are tailored to diverse and specific requirements, which also offer impressively simple handling and optimum user-friendliness.



Container and sterile supplies transport trolleys



Transport trolleys are an integral part of the supply and disposal of sterile supplies. They ensure hygienically safe transport through unclean areas as well as safe transport of used supplies for disposal. They can also be used flexibly for keeping goods in storage.

The enclosed types of trolley are available in two versions: a cost-optimised standard version and a version with a fully welded body for maximum hygienic safety.





State of the art: fully welded stainless steel body

The sturdy, self-supporting and hygienically fully welded stainless steel body has no undercuts and thus offers ideal conditions for maximum hygiene and ease of cleaning. Transport trolleys with fully welded bodies are designed to be suitable for washing devices.

Cost-optimised: standard stainless steel design

The standard version made of high-quality stainless steel is the ideal combination of proven loading capacity and cost-optimised design. This makes them a reliable and versatile asset.

Container and sterile supplies transport trolleys

Enclosed transport trolleys

Enclosed transport trolleys are the ideal solution for containers, baskets or sterile supplies that need protection when being transported or stored. Their sturdy construction, practical equipment and easy manoeuvring make them reliable companions for daily use.





Sterile goods transport cart

- With 1 solid shelf
- Vertical push handles
- Wing doors with 270° opening angle
- Circumferential door seals

	Design	StU	Dimensions W x D x H (mm)	Product code
STW/VV-3 724/754/1445	Fully welded	3	724 x 754 x 1445	7505984
STW/VV-6 965/754/1445	Fully welded	6	965 x 754 x 1445	7504645
STW/VV-9 1249/754/1440	Fully welded	9	1249 x 754 x 1440	7504646
STW/S-6 965/751/1469	Standard	6	985 x 751 x 1471	7504647
STW/S-9 1249/751/1469	Standard	9	1285 x 751 x 1471	7504648





Case cart for sterile supplies

Transport latch with seal

	Version	Design	Shelves	Usable internal dimensions W x D x H (mm)	Dimensions W x D x H (mm)	Product code
STW/S-US-1S 841/769/1000	Low, 1-door	Standard	1	545 x 650 x 635	841 x 769 x 1000	7505990
STW/S-US-2S 1341/769/1000	Low, 2-door	Standard	1	1045 x 650 x 635	1341 x 769 x 1000	7505991
STW/S-US-1T 785/541/1471	High, 1-door	Standard	2	545 x 650 x 1126	785 x 541 x 1471	7505992



Container transport trolleys

With L-shaped rails for StU

Vertical push handles

Circumferential door seals

•	Design	StU	Dimensions W x D x H (mm)	Product code
CTW/VV-3 724/754/1445	Fully welded	3	724 x 754 x 1445	7505985
CTW/VV-6 965/754/1445	Fully welded	6	965 x 754 x 1445	7504641
CTW/VV-9 1249/754/1440	Fully welded	9	1249 x 754 x 1440	7504642
CTW/S-3 785/751/1471	Standard	3	785 x 751 x 1471	7505989
CTW/S-6 965/751/1469	Standard	6	965 x 751 x 1469	7504643
CTW/S-9 1249/751/1469	Standard	9	1249 x 751 x 1469	7504644
	Design	IS0	Dimensions W x D x H (mm)	Product code
CTW/S-3-ISO 785/751/1471	Standard	3	785 x 751 x 1471	7505987
CTW/S-6-ISO 1285/751/1471	Standard	6	1285 x 751 x 1471	7505988

- Shelf height adjustment without tools
- Double-walled doors, can be swung and locked up to 270°
- Circumferential door seals

With U-shaped rails for ISO Wing doors with 270° opening angle



Container and sterile supplies transport trolleys

Accessories



Open transport trolleys

This versatile equipment for intermediate storage or transport is ideal for a wide range of applications and working areas. Our open transport trolleys are available in various designs and keep containers, baskets and working materials clearly and visibly available at all times. The high-quality stainless steel design makes them extremely resilient and durable.







Open sterile supplies transport trolley

- 2 fixed and 2 variable shelves
- Antistatic castors
- Stainless steel

	Number of insert compartments for StU	Dimensions W x D x H (mm)	Product code
STW/0-6 755/670/1370	6	755 x 670 x 1370	7504228
STW/0-9 1070/670/1370	9	1070 x 670 x 1370	7504212



Open container transport trolley

- With L-shaped rails for 6 or 9 StU
- With welded cover on top
- Antistatic castors
- Stainless steel

Ū.	Number of insert compartments for StU	Dimensions W x D x H (mm)	Product code	
CTW/O-6 755/670/1368	6	755 x 670 x 1368	7504225	
CTW/0-9 1168/675/1368	9	1168 x 670 x 1368	7504211	



GA/3-s TW9 GA/4-s TW9







Pivoting

Transport securing device for CTW/O 1050/91/51



Push handle for CTW/0 & STW/0

Gallery rail for STW/CTW

Design	Product code
Three-sided for STW/CTW 9	7504232
Four-sided for STW/CTW 9	7504233

Paper clamp for enclosed transport trolley

For factory fitting

Dimensions W x D x H (mm)	Product code
90 x 18 x 70	7500895

Hanging rail with 2 hooks

Stainless steel

Dimensions W x D x H (mm)	Product code
594 × 40 × 80	7504357

Transport securing device for CTW/0

Dimensions W x D x H (mm)	Product code
1050 x 91 x 51	7500762

Push handle for CTW/0 & STW/0

Assembly height 900 mm above floor

Dimensions W x D x H (mm)	Product code
88 x 600 x 85	7500362

Hook trolleys



Hook trolleys

Hupfer hook trolleys provide clearly organised, instant access to many different items and are perfect for transport, intermediate storage and use. Constructed entirely of stainless steel tubes, they can be adapted to the requirements at hand with a variety of equipment options and attachments.









46 47

Hook trolleys







Product

code

7500472

7500032

7500092

- Maximum load per hook 30 kg
- Antistatic castors
- Disc bumpers

	Number of hook pairs	Pitch mm	Castor diameter mm	Dimensions W x D x H (mm)	Product code
HAW 605/675/1097 2/4HP	2 x 2	400	100	605 x 675 x 1097	7500465
HAW 605/675/1460 2/6HP	2 x 3	400	75	605 x 675 x 1460	7500033
HAW 605/675/1620 2/8HP	2 x 4	320	75	605 x 675 x 1620	7500093



Triple-sided hook trolley

- Maximum load per hook 30 kg
- Antistatic castors
- Disc bumpers

	Number of hook pairs	Pitch mm	Castor diameter mm	Dimensions W x D x H (mm)	Product code
HAW 1000/605/1907 3/15HP	3 x 5	250-320	100	605 x 1000 x 1907	7500870



Medidul double-sided hook trolley

Pitch mm	Castor diameter mm	Dimensions W x D x H (mm)	Product code
333	100	650 x 1000 x 1657	7500801



Hook trolleys

Hook trolleys for storing operating theatre steps

These trolleys allow flexible storage and provision of steps of different heights without time-consuming stacking and repacking. Shelves and brackets hung in them can be removed – for example for cleaning – without having to use tools. The curved bend ensures optimum ergonomics and accessibility from both sides.



Enclosed hook trolley

Reliable protection from dust and other outside conditions. The aluminium frame and stainless steel side panels are light yet very sturdy and able to carry heavy loads. The integrated hook rack can be used to fasten any attachment from the Hupfer product range.

The contents of the trolley are clearly visible behind plexiglass wing doors that are held in place by magnets when closed or at an angle of 270° when opened.

The four swivel castors ensure easy and safe manoeuvring even in the most confined spaces, while the all-round bumper strip prevents damage. Standard hospital disinfectants can be used for cleaning.





Operating theatre step trolley

- Robust stainless steel construction
- Three brackets in the lower part
- Antistatic castors
- Upper part with two pairs of hooks on both sides

	Number of hook pairs	Pitch (mm)	Castor diameter mm	Dimensions W x D x H (mm)	Product code
HAW 720/675/1800 2/4HP + Aufl	2 x 2	320	75	720 x 675 x 1800	7505735

Suture cart

Sturdy alum
Two plexigla
All-round im
Hook rack w

	Number of hook pairs	Pitch (mm)	Castor diameter mm	Dimensions W x D x H (mm)	Product code
NMW/G	4	40	125	837 x 576 x 1720	7505730



The hooks for the attachments are firmly screwed to the rear wall to guarantee they are safely hung.

ninium frame with three solid stainless steel panels ass wing doors

mpact protection even when doors are fully open

with 40 mm pitch

Accessories for hook trolleys

				 StU pull-out frame set 3/4 extension Stainless steel 	
				Dimensions W x D x H (mm)	Product code
			ERS StE 296/595/60 ERS ISO 448/595/66	296 x 595 x 60 448 x 595 x 66	7504555 7501216
C Contraction of the second se	 Medidul L-shaped rails Package content: 1 pair Bearing face 60 mm Stainless steel 			 Insert shelf Perforated For placing on L-shaped rails Stainless steel Dimensions W x D x H (mm) 	Product code
Comparison	Package content: 1 pairBearing face 60 mm		Insert shelf 300/600/15	 Perforated For placing on L-shaped rails Stainless steel Dimensions W x D x H (mm) 	
Contraction of the second seco	Package content: 1 pairBearing face 60 mm	Product code	Insert shelf 300/600/15	 Perforated For placing on L-shaped rails Stainless steel 	Product code 7504373



Medidul U-shaped rails

- Package content: 1 pairBearing face 14 mm
- Stainless steel

	Dimensions W x D x H (mm)	Product code
RG-ESS/U MEDIDUL 36/570/41	36 x 570 x 41	7505009
	·	







Attachments for hook trolleys

The great variety of available attachments means that the hook trolleys can be adapted to many different functions and tasks. They are all characterised by excellent workmanship, durability, functionality and ergonomics for safe and efficient work processes.








Shoe basket

Up to 5 pairs of shoes

Electropolished stainless steel

	Dimensions W x D x H (mm)	Product code
SchuKo 585/300/320	585 x 300 x 315	7501457







	Clear internal dimension mm	Cutting width mm	Dimensions W x D x H (mm)	Product code
RHT SB51	529	510	623 x 373 x 294	7507012
RHT SB79	809	790	903 x 373 x 294	7507010
RHT SB114	1159	1140	1253 x 373 x 294	7507011
RHT SB139	1409	1390	1503 x 373 x 294	7507009

54 55

Up to 6 pairs of shoes Electropolished stainless steel

Dimensions W x D x H (mm)	Product code
600 x 320 x 270	7500374

For foil rolls of different widths Electropolished stainless steel

Dimensions W x D x H (mm)	Product code
630 x 270 x 194	7500552

Holder for paper sheets for sterile packaging

Electropolished stainless steel

Dimensions W x D x H (mm)	Product code
1250 x 240 x 200	7500663


Roll holder with cutter

Holder for storing, cutting and dispensing sterile packaging in the form of foil rolls

Complete cut of the tubular foil, even when fully loaded Electropolished stainless steel

TRANSPORT SOLUTIONS

02



	Dimensions W x D x H (mm)	Product code
H-D 560/280/180	560 x 280 x 180	7500104




- Up to 6 disposable glove boxes
- Effective dimensions: 180 x 54 mm (per compartment)

7500106

Electropolished stainless steel

Dimensions W x D x H (mm)	Product code
555 x 143 x 215	7500384











Glove dispenser

Stainless steel

	Dimensions W x D x H (mm)	Product code
Glove dispenser 580/327/271 mm	580 x 327 x 271	7500080

56 57

Hanging rail with hooks

Length of hooks: 150 mm Electropolished stainless steel

Design	Dimensions W x D x H (mm)	Product code
/ith 8 hooks	555 x 186 x 82	7500451
/ith 6 hooks	636 x 186 x 71	7500871

Sterile supplies shelf

Welded wire loops Electropolished stainless steel

Dimensions W x D x H (mm)	Product code
555 x 315 x 170	7500440

Wire holder for StU containers


Electropolished stainless steel

Dimensions W x D x H (mm)	Product code
612 x 316 x 300	7500373

Wire holder for tubes and cables

11 closed wire loops Electropolished stainless steel

Dimensions W x D x H (mm)	Product code
600 x 113 x 181	7500460



 Wire suture storage unit For storage and provision of suture material in standard small packages Electropolished stainless steel 				ard
	Number of shelves	Capacity Packages	Dimensions W x D x H (mm)	Product code
Suture storage unit 604/135/181	2	10	604 x 135 x 181	7500450
Suture storage unit 604/135/365	4	20	604 x 135 x 365	7500458





Shelf 575/390/155

Writing desk

With inclined writing surface and front upstand

Dimensions W x D x H (mm)

575 x 390 x 155

Product code

7500467

Stainless steel


	Dimensions W x D x H (mm)	Product code
Writing desk 580/340/225	580 x 340 x 225	7500097



Suture storage unit

- For storage and provision of suture material in 10 standard small packages
- Stainless steel

	Number of shelves	Dimensions W x D x H (mm)	Product code
Suture storage unit 600/170/155	2	600 x 170 x 152	7500170
Suture storage unit 600/170/290	4	600 x 170 x 290	7500079



Universal shelf 695/350/165 Universal shelf 695/450/165

Universal shelf

With rear wall and side upstands

For universal use

Shelf dimensions: 596 x 357 mm

Dimensions W x D x H (mm)	Product code
600 x 360 x 260	7500086

Universal shelf

With rear upstand For universal use Stainless steel

Dimensions W x D x H (mm)	Product code
695 x 350 x 165	7502154
695 x 450 x 165	7502155

Universal holder for containers

For wire containers For size 3, 4 and 5 polymer storage bins

Design	Dimensions W x D x H (mm)	Product code
Single	655 x 20 x 109	7500448
Double	690 x 20 x 329	7500848




Wire container

- For transport, storage and provision of small parts for medical use
- For hanging in universal holder
- Electropolished stainless steel

	Size	Dimensions W x D x H (mm)	Product code
DCont G3 215/350/200	3	215 x 350 x 200	7502945
DCont G4 153/231/125	4	153 x 231 x 125	7502946







Blue polymer storage bin

- For hanging in universal holder
- Temperature resistant from -40 °C to 80 °C




	Size	Dimensions W x D x H (mm)	Product code
KCont G3 210/350/200 bl	3	210 x 350 x 200	7502743
KCont G4 150/230/125 bl	4	150 x 230 x 125	7502753
KCont G5 100/170/75 bl	5	100 x 170 x 75	7502763




Green polymer storage bin

- For hanging in universal holder
- Temperature resistant from -40 °C to 80 °C
- Polyethylene

	Size	Dimensions W x D x H (mm)	Product code
KCont G3 210/350/200 gn	3	210 x 350 x 200	7502746
KCont G4 150/230/125 gn	4	150 x 230 x 125	7502756
KCont G5 100/170/75 gn	5	100 x 170 x 75	7502766







Holder for laundry/waste bags

■ For 1 laundry or waste bag 60–70 l Electropolished stainless steel

Dimensions W x D x H (mm)	Product code
555 x 313 x 240	7500101

Shelf dimensions: 540 x 190 mm Shelf spacing: 190 mm Plate thickness: 1.0 mm

Dimensions W x D x H (mm)	Product code
560 x 200 x 305	7500636

Catheter basket for hanging rail

For hanging in universal holder Mesh size: 8 x 8 mm Electropolished stainless steel

Dimensions W x D x H (mm)	Product code
150 x 100 x 200	7500150
150 x 100 x 280	7500151
150 x 100 x 480	7500152

Angled support for sterile goods basket

Package content: 2 units

Dimensions W x D x H (mm)	Product code
35 x 62 x 111	7500289

Hupfer transport trolleys



Hupfer offers a range of transport trolleys for many different functions and uses. The range includes all-rounders for a wide variety of tasks as well as special designs for use in and around the operating theatre.

Dedicated workmanship, high-quality materials and practical design guarantee reliability and durability. With robust, smooth-running castors, ergonomic design, easy cleaning and proven functionality, they ensure smooth workflows in everyday hospital life.





Multi-purpose trolleys

AZW 920/625/800

AZW 1200/625/800

The name says it all: Hupfer multi-purpose trolleys are sturdy, flexible and manoeuvrable, making them ideal for a wide range of clinical tasks. They are suitable for transport, intermediate and long-term storage, and much more besides.






Multi-purpose trolleys

2 flat, welded shelvesAntistatic castorsHeight of top shelf: 800 mm

Panel size	Dimensions W x D x H (mm)	Product code
625 x 425	689 x 489 x 800	7500468
720 x 625	783 x 689 x 800	7500470
920 x 625	983 x 689 x 800	7500469
1200 x 625	1263 x 689 x 800	7500661





MSW medical general purpose trolleys

These robust helpers can be used in a variety of ways for transporting and temporarily storing equipment and working materials. The medical general purpose trolleys are also available with a push handle on one side as an alternative to the standard version.





Medical general purpose trolley with two shelves

- Antistatic castors
- 2 shelves
- Payload: 80 kg

0	Shelf dimen- sions mm	Height of top shelf (mm)	Height between shelves (mm)	Dimensions W x D x H (mm)	Product code
MSW 6x4/2	600 x 400	800	538	695 x 495 x 896	7504128
MSW 8x5/2	800 x 500	855	591	895 x 595 x 949	7504001
MSW 10x6/2	1000 x 600	855	591	1095 x 695 x 949	7504002



Medical general purpose trolley with three shelves

- Antistatic castors
- 3 shelves
- Payload: 120 kg

O	Shelf dimen- sions mm	Height of top shelf (mm)	Height between shelves (mm)	Dimensions W x D x H (mm)	Product code
MSW 6x4/3	600 x 400	800	251	695 x 495 x 896	7504129
MSW 8x5/3	800 x 500	855	278	895 x 595 x 949	7504005
MSW 10x6/3	1000 x 600	855	278	1095 x 695 x 964	7504006



Medical general purpose trolley with four shelves

t of top	Height between	Dimensions	Product
f (mm)	shelves (mm)	W x D x H (mm)	code
168	278	895 x 595 x 1264	7504009





Heavy-duty medical general purpose trolleys

All-rounder with extra-high payload for extra-heavy transport tasks in special work situations.





Heavy-duty medical general purpose trolley with two shelves

- Antistatic castors
- Payload: 120 kg
- Shelf clearance: 591 mm
- Stainless steel

	Shelf dimen- sions mm	Height of top shelf (mm)	Height between shelves (mm)	Dimensions W x D x H (mm)	Product code
MSSW 8x5/2	800 x 500	919	591	895 x 595 x 1020	7504107
MSSW 10x6/2	1000 x 600	919	591	1095 x 695 x 1020	7504110



Heavy-duty medical general purpose trolley with three shelves

- Antistatic castors
- Payload: 180 kg
- Shelf clearance: 278 mm
- Stainless steel

	Shelf dimen- sions mm	Height of top shelf (mm)	Height between shelves (mm)	Dimensions W x D x H (mm)	Product code
MSSW 8x5/3	800 x 500	919	278	895 x 595 x 1020	7504113
MSSW 10x6/3	1000 x 600	919	278	1095 x 695 x 1020	7504114

66 67

Heavy-duty medical general purpose trolley with four shelves

t of top	Height between	Dimensions	Product
(mm)	shelves (mm)	W x D x H (mm)	code
232	278	1095 x 695 x 1325	7504120



Rost frei INOX STAINLESS STEE

General purpose trolleys

The push bar is designed in accordance with the latest ergonomic principles and makes work easier for staff, protecting them from strain.



Enclosed general purpose trolley

In addition to all the advantages of the Hupfer general purpose trolleys, the enclosed version offers more safety during transport and easy access at the same time.





Ergonomic general purpose trolley with two shelves

- With ergonomic handle
- Payload: 120 kg
- Shelf clearance: 591 mm

Stainless steel

5	Shelf dimen- sions mm	Height of top shelf (mm)	Height between shelves (mm)	Dimensions W x D x H (mm)	Product code
/ 8x5/2 ERGO	800 x 500	855	591	1035 x 595 x 1269	0133703
/ 10x6/2 ERGO	1000 x 600	855	591	1235 x 692 x 1269	0133723



Enclosed general purpose trolley with two shelves

•
With wing doors
Payload: 80 kg
Shelf clearance:
Staiplass staal

C.	Shelf dimen- sions mm	Height of top shelf (mm)	Height between shelves (mm)	Dimensions W x D x H (mm)	Product code
W 8x5/2	800 x 500	855	591	900 x 600 x 949	0111934
W 10x6/2	1000 x 600	855	591	1100 x 700 x 960	0112054



Ergonomic general purpose trolley with three shelves

- With ergonomic handle
- Payload: 140 kg
- Shelf clearance: 278 mm
- Stainless steel

0	Shelf dimen- sions mm	Height of top shelf (mm)	Height between shelves (mm)	Dimensions W x D x H (mm)	Product code
SW 8x5/3 ERGO	800 x 500	855	278	1035 x 595 x 1269	0133713
SW 10x6/3 ERG0	1000 x 600	855	278	1235 x 695 x 1269	0133733







: 591 mm

Enclosed general purpose trolley with three shelves

t of top (mm)	Height between shelves (mm)	Dimensions W x D x H (mm)	Product code
55	278	898 x 600 x 949	0111964
55	278	1000 x 700 x 960	0112084

Accessories for general purpose trolleys









Three-sided gallery rail

- Three-sided (front side open)
- Gallery height: 50 mm
- Stainless steel

	Shelf dimensions (mm)	Dimensions W x D x H (mm)	Product code
GA/3-s SW6x4 Ø8/599/330/50	600 x 400	599 x 330 x 50	0114506
GA/3-s SW8x5 Ø8/799/430/50	800 x 500	799 x 430 x 50	0114502
GA/3-s SW10x6 Ø8/999/530/50	1000 x 600	999 x 530 x 50	0114503




Four-sided gallery rail

- Four-sided
- Gallery height: 50 mm
- Stainless steel

	Shelf dimensions (mm)	Dimensions W x D x H (mm)	Product code
GA/4-s SW6x4 Ø8/599/399/50	600 x 400	599 x 399 x 50	0114507
GA/4-s SW8x5 Ø8/799/499/50	800 x 500	799 x 499 x 50	0114504
GA/4-s SW10x6 Ø8/999/599/50	1000 x 600	999 x 599 x 50	0114505





	Shelf dimensions (mm)	Dimensions W x D x H (mm)	Product code
VUZ SW 6x4	600 x 400	575 x 397 x 29	0114584
VUZ SW 8x5	800 x 500	775 x 497 x 29	0114582
VUZ SW 10x6	1000 x 600	975 x 597 x 29	0114583





MHR 120 350/283/736

For genera SW 8

Waste container (large)

For general purpose and clearing trolleys 420 x 200 x 250 mm

Dimensions W x D x H (mm)	Product code
420 x 200 x 250	0116192

Waste bag holder

For holding 120-litre waste bags With rubber seal Stainless steel

ral purpose trolleys	Dimensions W x D x H (mm)	Product code
8 x 5 and 10 x 6	350 x 280 x 736	0114802

Reinforcement bar

Stainless steel

OP equipment trolleys







OP equipment trolleys

This range for use in and around the operating theatre is tailored to the particularly stringent requirements for this area. High-quality materials and workmanship down to the last detail guarantee maximum safety, reliability and hygiene.





	Dimensions W x D x H (mm)	Product code
SBT 700/700/900 F	699 x 699 x 902	7500752









0	Dimensions W x D x H (mm)	Product code
ESCW 640/385/900	650 x 410 x 900	7500753

Mobile instrument stand

- Height adjustable from 715–1200 mm
- Effective dimensions: 530 x 325 mm
- Without insert tray, available as accessory

Dimensions W x D x H (mm)	Product code
627 x 400 x 715-1200	7500858

Gastronorm container as insert tray

• Overall dimensions: 530 x 325 mm

Height (mm)	Product code
20	0130602H
40	0130612H
65	0130622H

Mobile instrument table

With removable tabletops Frame acts as gallery rail

Dimensions W x D x H (mm)	Product code
625 x 425 x 800	7500204
744 x 649 x 800	7500205
940 x 625 x 800	7500206

OP equipment trolleys



Basket trolleys / basket dispensers

Basket trolleys and basket dispensers offer space for a large number of baskets and facilitate intermediate storage, transport and material storage at the workplace.



	Dimensions W x D x H (mm)	Product code
KR 60-60 StE	791 x 676 x 856	7500196



Open-sided ISO and StU basket dispenser

- Platform lowers for constant removal height
- Stainless steel

	Dimensions W x D x H (mm)	Product code
0K0 61-41 IS0/SRI	715 x 803 x 900	7504874
OKO 61-61 StE	800 x 715 x 900	7504872



Paper holders

Rost frei

Whether in the operating theatre or the central sterilisation facility, Hupfer paper stands are safe and easy to use and provide practical and reliable assistance wherever they are needed.







Paper holder trolley

■ With 4 holder frames Ø 25 mm Frame height: 905 mm


Dimensions W x D x H (mm)	Product code
1416 x 718 x 995	7500371

Wire shelf for paper holder

Electropolished stainless steel

Dimensions W x D x H (mm)	Product code
1130 x 663 x 154	7500372

OP equipment trolleys





	Platform dimensions (mm)	Dimensions W x D x H (mm)	Product code
STWP 8.5x5	850 x 500	970 x 500 x 944	0114192
STWP 10x7	1000 x 700	1123 x 700 x 943	0114212

Platform trolleys

Hupfer platform trolleys are versatile and extremely resilient helpers, from transport to intermediate storage and provision at the place of use. As single-ended or heavy-duty transport trolleys with a particularly sturdy construction, they can easily cope with heavy loads.



EDELSTAHL	0
Rost	-
L freí J	
\checkmark	
INOX	
STAINLESS STEEL	

20 - 2	 Heavy-duty transport trol Maximum load: 500 kg Platform height: 265 mm Stainless steel 	ley	
	Platform dimensions (mm)	Dimensions W x D x H (mm)	Product code
TW/s 12 x 6	1200 x 600	1366 x 660 x 1054	0162578

	Platform dimensions (mm)	Dimensions W x D x H (mm)	Product code
PW 8x5	800 x 500	895 x 595 x 1012	0112602
PW 10x6	1000 x 600	1095 x 695 x 1012	0112632



Platform trolley

- With flat shelf
- Shelf height: 245 mm
- Stainless steel

	Platform dimensions (mm)	Dimensions W x D x H (mm)	Product code
PW 5.4x5.4	545 x 545	708 x 606 x 1024	0112662
PW 8.2x5.4	820 x 545	983 x 605 x 1020	0112692



Single-ended platform trolley

Maximum load: 500 kg With flat shelf Stainless steel

The Hupfer Känguruh System[®] helps reliably ensure that clean and unclean zones are kept separated. Because it eradicates the need for repacking, work processes are faster and the amount of work required is reduced. Ergonomic handling and the precise interaction of all components guarantee safe and clearly organised processes at all times, ensuring maximum hygiene throughout the sterile supply cycle.



78 79



Integrated system for storage, transport and provision of sterile supplies

Depending on the location, the **push-in rack** is loaded with contaminated or sterile instruments. It has space for baskets and containers in StU or ISO format and keeps the instruments safe, from cleaning and sterilisation through to storage and distribution. A matching **platform** can also be used to store push-in racks, which among other things can be ideally integrated in the Hupfer Norm 5 shelving system.

The loaded push-in rack is pushed from the **transfer trolley** into the steriliser. After sterilisation, the push-in rack with the instruments can be moved directly into the **transport trolley** and then safely taken to the storage location or to the operating theatre for further use – all without time-consuming repacking and hand contact.



Transfer via pass-through chamber

Advantages at a glance:

- Integrated system for storage, transport and provision of sterile supplies
- No time-consuming repacking after cleaning, disinfection and testing
- Highest-quality stainless steel for toughest use and maximum hygiene
- Excellent ergonomics and flexible handling
- All operations without hand contact on basket or container
- Optimised work efficiency and hygienic safety
- Transfer dollies, transport trolleys, platforms and push-in racks are available in many variants and special versions
- Also adaptable to driverless transport systems (DTS)



Docking on to a transfer threshold



Driverless transport system with Känguruh system® transport trolleys



External transport by lorry



Custom planning and configuration

From planning through to configuration, the Känguruh system[®] is adapted to the logistical requirements and the existing technical equipment. For example, in addition to the standard version, the transfer dollies are also available in fully welded versions for maximum hygienic safety. The entire system can also be integrated into special in-house transport systems right up to driverless transport systems (DTS).



Intelligent solutions down to the finest detail

The Hupfer Känguruh system® is the result of many years of experience in sterile supplies logistics and the latest design and manufacturing expertise. Its unique functionality and the high quality of materials and workmanship are not only reflected in the overall concept, but also in many practical details designed for efficient and ergonomic operation.





Lengthwise and/or transverse docking are available optionally.






L- or U-shaped rails for optimum matching to StU baskets and containers as well as ISO baskets.





The transport trolley is also available as a general-purpose transport trolley (ATW) for transporting a wide variety of goods.





For transport by truck, the wagons are available with special skirting protection on request.

security for the sterile supplies.



The optional central brake allows fixing in position with just one foot movement.





With the optional 3 or 4-sided gallery rail, the top of the trolley can also be used for storage and transport.



Transport trolleys can be easily labelled with the optional paper clamp. Sign holders in various formats are available on request.





Wired shelves and perforated plates for placing on L rails allow a wide variety of goods and containers to be stored. Optional pull-out frame sets make work even easier.

The optional transport latch with sealing option provides maximum



The optional sign holders provide the clearest possible overview.



Transfer trolley

- Secure locking on the transport trolley
- Secure locking of the push-in rack
- Optional design compatible with sterilisation and washing systems

StU • 600 x 300 mm

	StU	Dimensions W x D x H (mm)	Product code
KÄ-ÜW 3StE 717/425/909 SH260	3	717 x 425 x 909	7504618
KÄ-ÜW 6StE 854/677/909 SH260	6	854 x 677 x 909	7504621
KÄ-ÜW 9StE/2xISO 1137/677/909 SH260	9	1137 x 677 x 909	7504627

ISO • 600 x 400 mm

	IS0	Dimensions W x D x H (mm)	Product code
KÄ-ÜW 1xISO 717/560/909 SH260	3	717 x 560 x 909	7504651
KÄ-ÜW 9StE/2xISO 1137/677/909 SH260	6	1137 x 677 x 909	7504627



ISO • 600 x 400 mm

	IS0	Dimensions W x D x H (mm)	Product code
KÄ-UG 9StE 1130/700/307 SH 260	2 x 1 ISO or 1 x 2 ISO	1130 x 700 x 307	7504628



Transport trolley

- Stainless steel
- Various castor versions and equipment
- Traction operation with coupling/drawbar (also friction-damped)

StU • 600 x 300 mm

	Design	StU	Dimensions W x D x H (mm)	Product code
KÄ-TW/VV 3StE 724/754/1444 SH260	Fully welded	3	724 x 754 x 1444	7505986
KÄ-TW/S 6StE 965/751/1471	Standard	6	965 x 751 x 1471	7504659
KÄ-TW/VV 6StE 965/754/1444 SH260	Fully welded	6	965 x 754 x 1444	7504617
KÄ-TW/S 9StE 1285/751/1471 SH 260	Standard	9	1285 x 751 x 1471	7504660
KÄ-TW/VV 9StE 1249/754/1434 SH260	Fully welded	9	1249 x 754 x 1434	7504624

ISO • 600 x 400 mm

	Design	IS0	Dimensions W x D x H (mm)	Product code
KÄ-TW/VV 3StE 724/754/1444 SH260	Fully welded	3	724 x 754 x 1444	7505986
KÄ-TW/S 9StE 1285/751/1471 SH 260	Standard	6	1285 x 751 x 1471	7504660
KÄ-TW/VV 9StE 1249/754/1434 SH260	Fully welded	6	1249 x 754 x 1434	7504624



	StU	Dimensions W x D x H (mm)	Product code
KÄ-EG 3StE 355/615/1041 L-Sch	3	355 x 615 x 1041	7504595
KÄ-EG 6StE 685/615/1041 3 DR	6	685 x 615 x 1041	7504620
KÄ-EG 6StE 685/615/1041 L-Sch	6	685 x 615 x 1041	7504622
KÄ-EG 9StE 1015/615/1041 3 DR	9	1015 x 615 x 1041	7504625
KÄ-EG 9StE 1015/600/1041 L-Sch	9	1015 x 600 x 1041	7504626

ISO • 600 x 400 mm

	IS0	Dimensions W x D x H (mm)	Product code
KÄ-EG ISO 455/615/1041 8U-Sch	3	455 x 615 x 1041	7504649
KÄ-EG ISO 885/615/1041 16U-Sch	6	885 x 615 x 1041	7504650

- For parking and storing the push-in rack
- Base cladding on request

StU • 600 x 300 mm

StU	Dimensions W x D x H (mm)	Product code
x 3 / 1 x 6	850 x 700 x 307	7504619
9	1130 x 700 x 307	7504628

For holding StU and ISO baskets or containers

Shelving systems

Hupfer shelving systems offer tailor-made solutions for storing, stocking and providing everything from sterile supplies and working materials to consumables and equipment. The large selection of sizes, shelves, possible combinations, material and equipment versions means there are no limits when it comes to configuring complex shelving systems.



86 87

Norm shelving: designed for flexibility

Hupfer Norm shelving can be precisely adapted to all spatial conditions, which means that optimum and therefore economical use is made of the available storage space. The principle: Every Hupfer Norm standard shelving unit consists of a basic unit (2 uprights, 4 shelves, 1 cross brace).

The basic shelving unit

you need two uprights.

The 90° corner connection

uprights are necessary.

For every shelving system, the 90° corner

connection uses simple clip-on corner hooks (2 for each shelf). No superfluous

For each basic shelving unit which is set up individually,

This basic shelving unit is expanded with the extension unit (1 upright, 4 shelves). If a 90° corner connection is required, this is done using corner hooks – without the need for superfluous and space-consuming uprights.

The extension unit

– see diagram).

For the extension unit, you only need one upright for each additional

Almost all shelving units can be

extended in increments of 10 cm.

section (i.e. 3 uprights for 2 sections



Well thought out down to the last detail





Clearly arranged Easily attachable shelf dividers help keep things tidy. They are available for shelves in depths of 55 and 600 mm.



Versatile Solid shelves, polymer shelves or stainless steel louvred shelves are available for different requirements.





The robust stainless steel construction, high-quality components and high manufacturing quality ensure reliability and durability under the toughest





Hygienic The flat cross-connections are positively connected to the uprights using a state-of-the-art, patented method. This prevents blind spots and cavities to allow thorough cleaning without any problems.



The cross brace Up to 3 consecutive sections can be mounted with only one cross brace for perfect stability.

The shelf load is the evenly dis-tributed load on a single shelf.


The sum of the shelf loads in a section may not exceed the section load.

SHELVING SYSTEMS 04



The double shelving unit With back-to-back assembly, you can

increase the usable depth of the section. Because the uprights are bolted to each other, there is one less cross brace than with the basic set-up.









Variable

Even after assembly, the individual shelves can be exchanged or repositioned according to the stored items, without requiring any tools.



Stable

The standard height-adjustable screw feet compensate for uneven floors up to 25 mm.



Protected

The versions with flat roof, floor base and side and rear cladding offer reliable protection from dust and dirt.



Mobile

Some types of shelf are available on request with optional castors so that they easily can be moved, for cleaning for example.

SHELVING SYSTEMS


04

The Norm 5 shelving unit sets the standards in terms of performance, hygiene and easy cleaning. Robust, versatile and long-lasting, this shelving system is available for every conceivable storage item.




Rost frei





Depth (mm)		Total width / shelf height 1800 mm								
300										
400	1000	1200	1500	1775	1975	2375	2775	2975	3450	3650
500	1000	1200	1000	1775	1973	2370	2775	2970	3430	3600
600										





Depth (mm)	Total width / shelf height 1800 mm									
300										
400	1000	1200	1500	1775	1975	2375	2775	2975	3450	3650
500	1000	1200	1500	1775	1973	2375	2775	24/5	3430	3650
600										

Maximum section load: 1200 kg

Depth (mm)		Total width / shelf height 1800 mm											
300													
400	1000	1200	1500	1775	1975	2375	2775	2975	3450	3650			
500	1000	1200											
600													

Norm 5 shelving unit with louvred shelves

Stainless steel Number of shelves per section With cross brace

Maximum section load: 600 kg

Total width / shelf height 1800 mm											
1775	1975	2375	2775	2975	3450	3650					

Maximum section load: 1200 kg

Norm 5 shelving with solid shelves

Number of shelves per section

With cross brace

Maximum section load: 600 kg



Norm 5 shelving unit with wired shelves

- Stainless steel
- Number of shelves per section
- With cross brace

Maximum section load: 600 kg

Depth (mm)		Total width / shelf height 1800 mm								
300			00 1500	1775	1975	75 2375	2775 2975	207E	3450	3650
400	1000	1200								
500	1000	1200						2775		
600										

Maximum section load: 1200 kg

Depth (mm)		Total width / shelf height 1800 mm								
300										
400										
500	1000	1200	1500	1775	1975	2375	2775	2975	3450	3650
600										
600										

n	0101007	01
mm)	Product code	Proc
	Upright depth 300 mm	Upri 4(
		Maximun
-		Stainl Pitch

Ŧ	Upright depth 300 mm	Upright depth 400 mm	Upright depth 500 mm	Upright depth 600 mm
Height (mm)	Product code	Product code	Product code	Product code
1200	0101007	0101017	0101037	0101047
1400	0101077	0101087	0101107	0101117
1600	0101147	0101157	0101177	0101187
1800	0101217	0101227	0101247	0101257
2000	0101287	0101297	0101317	0101327

	Upright depth 400 mm	Upright depth 500 mm	Upright depth 600 mm
Height (mm)	Product code	Product code	Product code
1800	0101225	0101245	0101255
2000	0101295	0101315	0101325

	Norm 5 shelf load	
Shelf type	Width (mm)	Shelf load with equally distributed load (kg)
Louvred shelf	600-1000	150
	1200-1500	100
	600-1000	150
Solid shelf	1200	160
	1400-1500	125
	600-1000	180
Wired shelf	1200	150
	1400-1500	100



92 93

NORM 5 upright

nless steel 150 mm

ım section load: 600 kg

Maximum section load: 1200 kg



NORM 5 louvred shelf

Stainless steel

	For upright depth 300 mm	For upright depth 400 mm	For upright depth 500 mm	For upright depth 600 mm
Width (mm)	Product code	Product code	Product code	Product code
600	0101537	0101547	0101567	0101577
800	0101607	0101617	0101637	0101647
900	0101677	0101687	0101707	0101717
1000	0101747	0101757	0101777	0101787
1200	0101817	0101827	0101847	0101857
1400	0101887	0101897	0101917	0101927
1500	0101957	0101967	0101987	0101997



NORM 5 solid shelf

Stainless steel

	For upright depth 300 mm	For upright depth 400 mm	For upright depth 500 mm	For upright depth 600 mm
Width (mm)	Product code	Product code	Product code	Product code
600	0102432	0102442	0102462	0102472
800	0102502	0102512	0102532	0102542
900	0102572	0102582	0102602	0102612
1000	0102642	0102652	0102672	0102682
1200	0102712	0102722	0102742	0102752
1400	0102782	0102792	0102812	0102822
1500	0102852	0102862	0102882	0102892



NORM 5 wired shelf

Electropolished stainless steel

	For upright depth 300 mm	For upright depth 400 mm	For upright depth 500 mm	For upright depth 600 mm
Width (mm)	Product code	Product code	Product code	Product code
600	0101532	0101542	0101562	0101572
800	0101602	0101612	0101632	0101642
900	0101672	0101682	0101702	0101712
1000	0101742	0101752	0101772	0101782
1200	0101812	0101822	0101842	0101852
1400	0101882	0101892	0101912	0101922
1500	0101952	0101962	0101982	0101992





NORM 5 cross brace

Requires one in every third sectionStainless steel

Product code	
0103072	

Norm 5 cross brace • back-to-back

Requires 1 in every 3rd sectionStainless steel

Product code
0103082



For shelf width (mm)

1000

1200

1500

Push-through protection


- For rear attachment
- Electropolished stainless steel

Product code

0117414

0117415

0117417



Width (mm)	Product code
600	0117022
800	0117023
900	0117024
1000	0117025
1200	0117026
1400	0117027
1500	0117028



Push-through protection

- Electropolished stainless steel
- For side attachment

Depth (mm)	Product code
500	0117402
600	0117403





96 97

- As an alternative to the cross brace for loading
 - the shelf from both sides
- With fixing material
- 4 long rails required per section

- For corner connections
- For louvred shelves and solid shelves

Product code	
0203126	

For corner connections

Product code	
0103122	

For shelf depth (mm) 500

600



Shelf divider

Stainless steel

For enclosed systems

V

Dimensions W x D x H (mm)	Product code
115 x 115 x 6	0203142



Shelf railing

- Stainless steel
- To stop items falling out of the front or back

Dimensions W x D x H (mm)

458 x 100 x 210

558 x 100 x 210

Product code

7504221

7504220

With polymer end caps

Width (mm)	Product code
600	0115242
800	0115243
900	0115244
1000	0115245
1200	0115246
1400	0115247
1500	0115248



Shelf railing holder

- Stainless steel
- Freely height-adjustable
- For use with shelf railing

Product code 0115252

0123582	0123592	0123602	0123612
Product code	Product code	Product code	Product code
For upright depth 300 mm	For upright depth 400 mm	For upright depth 500 mm	For upright depth 600 mm

	Hook ra
4	AlumiFor has
	For at

For shelf width (mm)	Product code
600	0203162
800	0203172
900	0203182
1000	0203192
1200	0203202
1400	0203212
1500	0203222

Weight distribution plate

Aluminium

Hanging rail support

Stainless steel

For attaching hook rails

Also to secure the stored items from the sides


ail

ninium

nanging between two uprights

attaching hooks

Universal rail 45 x 10 mm







	Maximum load (kg)	Dimensions W x D x H (mm)	Product code
RG-BR/N5 1000/550/300	200	990 x 550 x 300	0114452
RG-BR/N5 1200/550/300	200	1200 x 550 x 300	0114492

Norm 5 Medidul shelving unit


This version of the tried-and-tested shelving system is specially designed for operating theatres and sterile supplies storage areas. Whether in soft packaging in baskets or in containers – sterile supplies are stored safely and clearly on U-shaped rails or L-shaped rails.





	For upright depth 300 mm	For upright depth 400 mm	For upright depth 500 mm	For upright depth 600 mm
Height (mm)	Product code	Product code	Product code	Product code
1800	-	7505114	-	7505105
2000	7505113	7505115	7505117	7505106





RG-KV/N5 Medidul StU



Norm 5 Medidul upright

Maximum section load: 600 kg

Norm 5 Medidul solid shelf

Width (mm)	Product code
355	7505004
455	7505008

Norm 5 cross brace • back-to-back

Requires one in every third section

Product code	
7505019	
7505611	
7505612	

Norm 5 Medidul shelving unit



H-A/600 355

H-A/600 455

Bracing bars

Stainless steel

Design

For StU standard

For ISO standard

For uprights with 600 kg section load

Width (mm)

355

455

For uprights with 75 mm pitchPackaging unit: 4 per section



Pull-out fr	rame set	Dimensions W x D x H (mm)	Product code
ERS StE 296/595/60	For StU standard	296 x 595 x 60	7504555
ERS ISO 448/595/66	For ISO standard	448 x 595 x 66	7501216

	 Profile rails Stainless steel Shelf width: 60 mm Packaging unit: 2 units 	2	Perforated insert shelf 300/600/15
	Dimensions W x D x H (mm)	Product code	
RG-ESS/L MEDIDUL 594/84/39	594 x 84 x 39	7504213	

For upright depth 600 mm

Product code

7505024

7505025



	Dimensions W x D x H (mm)	Product code
RG-ESS/U MEDIDUL 36/570/41	36 x 570 x 41	7505009

	Label ho
7	ElectroField isLaser r
	Label a

	Label area (mm)	Dimensions W x D x H (mm)	Product code
Label holder 85/82/26	60 x 21	85 x 82 x 26	7504932



Pull-out frame

For DIN StU containers and basketsFor ISO containers and baskets

Insert shelf


Stainless steelPerforated

Dimensions W x D x H (mm)	Product code
300 x 600 x 15	7504373

older

ropolished stainless steel is magnetic marking on request

Norm 5 Medidul shelving unit





	Product code
100 mm base for all lengths up to 2700 mm for Medidul shelf with side panels	7505233999
200 mm base for all lengths up to 2700 mm for Medidul shelf with side panels	7505234999



Rear panel

Stainless steel

	For upright height 1800 mm	For upright height 20000 mm
Width (mm)	Product code	Product code
355		7505222
455		7505223
600	7505214	7505224
655	7505215	7505225
800	7505216	7505226
900	7505217	7505227
1000	7505218	7505228
1200	7505219	7505229
1400	7505220	7505230
1500	7505221	7505231



Stainless steel flat top, all lengths up to 2700 mm, for Medidul shelf without side panels



Stainless steel

For Medidul shelf with side panels

Flat top

Stainless steel


For Medidul shelf without side panels

Product code
7505132999

Rust-free, durable and extremely robust like the Norm 5 shelving unit, this shelf variant offers a special advantage: magnets stick to the special stainless steel alloy so that stored items can be easily, quickly and reliably labelled.











Depth (mm)			Tota	al width (m	nm)		
500	1000	1200	1775	1975	2375	2775	3650
600	1000	1200	1773	17/3	2375	2773	3030

Norm 25 shelf load				
Shelf type	Width (mm)	Shelf load with equally distributed load (kg)		
Louvred shelf	800-1000	150		
	1200-1400	100		
Solid shelf	800-1000	150		
	1200	160		
	1400	125		

04

SHELVING SYSTEMS



Versions with other sizes and dimensions can be found at www.hupfer.com

Norm 25 shelving unit with louvred shelves

Stainless steel (special magnetic alloy) Section load: 600 kg


Maximum section load: 600 kg


Total width (mm)						
1200	1775	1975	2375	2775	3650	

Norm 25 shelving with solid shelves

Stainless steel (special magnetic alloy) Section load: 600 kg

Maximum section load: 600 kg







NORM 25 louvred shelf

Stainless steel (special magnetic alloy)

600 mm

Product code

0137001

0137003

	For upright depth 500 mm	For upright depth 600 mm
Width (mm)	Product code	Product code
800	0137045	0137055
900	0137075	0137085
1000	0137105	0137115
1200	0137135	0137145
1400	0137165	0137175





Width (mm)	Product code
1000	0117414
1200	0117415
1500	0117417

	Push For Ele
Width (mm)	

	Electi

Width (mm)	Product code
500	0117402
600	0117403





Stainless steel (special magnetic alloy)

	For upright depth 500 mm	For upright depth 600 mm
Width (mm)	Product code	Product code
800	0137046	0137056
900	0137076	0137086
1000	0137106	0137116
1200	0137136	0137146
1400	0137166	0137176

NORM 25 cross brace

Suitable for all shelf widths and uprights

Product code	e
0103072	

Cross brace for back-to-back assembly

Suitable for all shelf widths and uprights

	Product code	
0103082	0103082	

For louvred shelves and solid shelves For corner connections

Product code	
0203126	

Push-through protection

For rear attachment

Electropolished stainless steel

-through protection


or side attachment

ropolished stainless steel

This shelving system, made of high-quality aluminium, combines low weight with a high loading capacity. Its tidiness and versatility are ideal wherever laundry and consumables are stored.









Maximum section load: 1200 kg

Depth (mm)		Total width (mm)								
400										
500	1000	1200	1500	1775	1975	2375	2775	2975	3450	3650
600										







Depth (mm)	Total width (mm)									
400										
500	1000	1200	1500	1775	1975	2375	2775	2975	3450	3650
600										

Versions with other sizes and dimensions can be found at www.hupfer.com



Norm 20 shelving unit with louvred shelves

Number of shelves per section With cross brace

Maximum section load: 600 kg

Total width (mm)											
1775	1975	2375	2775	2975	3450	3650					

Norm 20 shelving unit with solid shelves


Number of shelves per section

Maximum section load: 600 kg

Total width (mm)											
1775	1975	2375	2775	2975	3450	3650					

Maximum section load: 1200 kg

Norm 20 shelf load							
Shelf type	Width (mm)	Shelf load with equally distributed load (kg)					
	600-1000	200					
Louvred shelf	1200	160					
	1400-1500	100					
Solid shelf	600-1000	150					
Solid Shell	1200-1500	100					
Dettle shelf / hav store as shelf	800-1000	100					
Bottle shelf / box storage shelf	1000	100					



	For upright depth 300 mm	For upright depth 400 mm	For upright depth 500 mm	For upright depth 600 mm
Height (mm)	Product code	Product code	Product code	Product code
1200	0201007	0201017	0201037	0201047
1400	0201077	0201087	0201107	0201117
1600	0201147	0201157	0201177	0201187
1800	0201217	0201227	0201247	0201257
2000	0201287	0201297	0201317	0201327





	For upright depth 400 mm	For upright depth 500 mm	For upright depth 600 mm
Height (mm)	Product code	Product code	Product code
1800	0201225	0201245	0201255
2000	0201295	0201315	0201325





NORM 20 upright

Pitch 150 mm

Maximum section load: 600 kg

NORM 20 upright

Pitch 150 mm

Maximum section load: 1200 kg



Norm 20 louvred shelf

Aluminium

	For upright depth 300 mm	For upright depth 400 mm	For upright depth 500 mm	For upright depth 600 mm
Width (mm)	Product code	Product code	Product code	Product code
600	0201532	0201542	0201562	0201572
800	0201602	0201612	0201632	0201642
900	0201672	0201682	0201702	0201712
1000	0201742	0201752	0201772	0201782
1200	0201812	0201822	0201842	0201852
1400	0201882	0201892	0201912	0201922
1500	0201952	0201962	0201982	0201992



	For upright depth 500 mm			
Width (mm)	Upright	Sideways	Shelf load with equally distributed load (kg)	Product code
1000	3	2	100	0204052



NORM 20 solid shelf

Aluminium

	For upright depth 300 mm	For upright depth 400 mm	For upright depth 500 mm	For upright depth 600 mm
Width (mm)	Product code	Product code	Product code	Product code
600	0202432	0202442	0202462	0202472
800	0202502	0202512	0202532	0202542
900	0202572	0202582	0202602	0202612
1000	0202642	0202652	0202672	0202682
1200	0202712	0202722	0202742	0202752
1400	0202782	0202792	0202812	0202822
1500	0202852	0202862	0202882	0202892





Norm 20 bottle shelf

- Polymer-coated steel
- Not for corner extension
- Silver grey

	Capacity for 0.75/1 litre bottles						
Width (mm)	Units per row	Units per row in combination	Product code				
800	6	12	0204012				
1000	8	15	0204022				



Norm 20 box storage shelf

Polymer-coated steel Upright and sideways storage Corner extension not possible


NORM 20 cross brace

Suitable for all shelf widths

Product code 0203062

Norm 20 cross brace • back-to-back

Suitable for all shelf widths





Push-through protection

- Electropolished stainless steel
- For rear attachment

For shelf width (mm)	Product code
1000	0117414
1200	0117415
1500	0117417



Push-through protection

- Electropolished stainless steel
- For side attachment

Depth (mm)	Product code
500	0117402
600	0117403







Bracing bar

- Aluminium
- As an alternative to the cross brace for loading the shelf from both sides
- With mounting accessories
- 4 long rails required per section

Width (mm)	Product code
800	0217022
900	0217023
1000	0217024
1200	0217025
1400	0217026
1500	0217027
1500	0217028

Corner hook

For corner connectionsFor louvred shelves and solid shelves

F	roduct code
	0203126

Double corner hook for hook rail

For corner connectionsFor louvred shelves and solid shelves

Product code	
0211056	

Shelf divider

Stainless steelFor enclosed systems

Dimensions W x D x H (mm)	Product code
458 x 100 x 210	7504221
558 x 100 x 210	7504220



Shelf railing

Stainless steel

- To stop items falling out of the front or back
- With polymer end caps



Width (mm)	Product code
600	0115242
800	0115243
900	0115244
1000	0115245
1200	0115246
1400	0115247
1500	0115248



Shelf railing holder

Stainless steel

- Freely height-adjustable
- For use with shelf railing


Product code	
0115252	



Weight distribution plate

Aluminium

Dimensions W x D x H (mm)	Product code
115 x 115 x 6	0203142



SHELVING SYSTEMS

04



For upright depth 300 mm

Product code 0221862



For shelf width (mm)	Product code
600	0203162
800	0203172
900	0203182
1000	0203192
1200	0203202
1400	0203212
1500	0203222

Hanging rail support

For attaching hook rails

Also for securing stored items from the sides

For upright depth 400 mm	For upright depth 500 mm	For upright depth 600 mm
Product code	Product code	Product code
0221872	0221892	0221902

- For hanging between two uprights
- For attaching hooks
- Universal rail 45 x 10 mm

Ceiling or floor fixing attachment

- For additional securing of shelves
- Without fixing material

Product code
0103152



Wall mountingStainless steelFor upright

Product code
0116036
0116037
0116038





Wall fixing

- Stainless steel
- For uprights against walls with coving
- For 25 x 25 mm tube
- Without fixing material

Dimensions W x D x H (mm)	
85 x 68 x 58	

Product code	
0116031	



Wire shelf

Aluminium

For self-assembly

	Shelf load with equally distributed load (kg)	Dimensions W x D x H (mm)	Product code
RG-BR/N20 1000/500/300	200	1000 x 505 x 305	0203422
RG-BR/N20 1000/600/300	200	1000 x 505 x 305	0203442
RG-BR/N20 1200/500/300	160	1200 x 605 x 305	0203412
RG-BR/N20 1200/600/300	160	1200 x 605 x 305	0203432






The special mixture of aluminium and plastic makes this shelving system a versatile and attractive alternative for uses such as storing pharmaceuticals.











Depth (mm)	Total width (mm)									
400										
500	1000	1200	1500	1775	1975	2375	2775	2975	3450	3650
600										

Norm 12 shelf load				
Shelf type	Width (mm)	Shelf load with equally distributed load (kg)		
Louvred and	600-1000	150		
solid	1200	160		
polymer shelves	1400-1500	100		



Versions with other sizes and dimensions can be found at www.hupfer.com

Norm 12 shelving unit with louvred polymer shelves

Aluminium/polymer

Maximum section load: 600 kg

	Total wid	ith (mm)				
1775	1975	2375	2775	2975	3450	3650

Norm 12 shelving unit with solid polymer shelves

Aluminium/polymer

Maximum section load: 600 kg




NORM 12 upright

Aluminium

Maximum section load: 600 kg

	For upright depth 400 mm	For upright depth 500 mm	For upright depth 600 mm
Height (mm)	Product code	Product code	Product code
1200	0201017	0201037	0201047
1400	0201087	0201107	0201117
1600	0201157	0201177	0201187
1800	0201227	0201247	0201257
2000	0201297	0201317	0201327





Norm 12 louvred polymer shelf

Polymer

	For upright depth 400 mm	For upright depth 500 mm	For upright depth 600 mm
Width (mm)	Product code	Product code	Product code
600	0601549	0601569	0601579
800	0601619	0601639	0601649
900	0601689	0601709	0601719
1000	0601759	0601779	0601789
1200	0601829	0601849	0601859
1400	0601899	0601919	0601929
1500	0601969	0601989	0601999



Width (mm)	Product code
1000	0117414
1200	0117415
1500	0117417









Norm 12 solid polymer shelf

Polymer

	For upright depth 400 mm	For upright depth 500 mm	For upright depth 600 mm
Width (mm)	Product code	Product code	Product code
600	0602449	0602469	0602479
800	0602519	0602539	0602549
900	0602589	0602609	0602619
1000	0602659	0602679	0602689
1200	0602729	0602749	0602759
1400	0602799	0602819	0602829
1500	0602869	0602889	0602899

NORM 12 cross brace

1 unit for up to 3 sections

Product code
0603062

Norm 12 cross brace • back-to-back

1 unit for up to 3 sections

Product code	
0103082	

Push-through protection

Electropolished stainless steel For rear attachment

Push-through protection

Electropolished stainless steel For side attachment

Product code
0117402
0117403

For louvred polymer shelves and solid polymer shelves For corner connections

Product code	
0603139	

Easy Rider systems


Easy Rider systems

The Easy Rider system is the ideal solution for when storage capacity has to be increased but space is limited. Because the Easy Rider system eliminates the need for redundant aisles, this system can increase the capacity of storage rooms by up to 100 percent compared to conventional shelving systems.

All Hupfer Norm shelving units can also be attached for storing a wide variety of goods. The Hupfer **Easy Rider systems for containers or baskets**, alongside their insertion systems, are specially designed for efficient, space-saving storage of containers or Hupfer sterile goods baskets in StU and ISO formats.



Easy Rider system



Comparison of a conventional, fixed storage system with a Hupfer Easy Rider sliding system. In an ideal case, the utilisation of storage space is up to 100% higher.



Stationary shelving system

1 2	
2	
2	
3 4	
4	
5 6	
6	
-	
7	
7 8	
0	
9 10	
10	
11	

Mobile shelving


Mobile shelving



Hupfer mobile shelving units combine two essential logistics functions: storage and transport. This means working material can be stored in large quantities but are always flexibly available where they are needed. Simpler work processes reduce the number of repacking operations and increase efficiency, economy and ergonomics.

With a wide selection of open and solid shelves, mobile shelving can be easily adapted to whatever items are stored on them. Smooth-running castors and practical total locks make them easy and safe to handle, even when carrying large quantities of stored items.





Mobile shelving



Mobile shelving unit • height 900 mm

- In kit form
- For self-assembly
- Not including shelves
- Pitch: 150 mm

	Shelves (mm)	Dimensions W x D x H (mm)	Product code
RTW/Z 10-5/900	1000 x 500	1075 x 575 x 900	0121390
RTW/Z 10-6/900	1000 x 600	1075 x 675 x 900	0121391
RTW/Z 12-6/900	1200 x 600	1275 x 675 x 900	0121393
RTW/Z 14-5/900	1400 x 500	1475 x 575 x 900	0121394
RTW/Z 14-6/900	1400 x 600	1475 x 675 x 900	0121395



			RTW/Z 10/12/14-5	RTW/Z 10/12/14-6
	Width (mm)	Shelf load (kg)	Product code	Product code
A-BR/N5 1000/500	1000	180	0101777	0101787
A-BR/N5 1200/500	1200	150	0101847	0101857
A-BR/N5 1400/500	1400	100	0101917	0101927



Mobile shelving unit • height 1200 mm

- In kit form
- For self-assembly
- Not including shelves
- Pitch: 150 mm

~	Shelves (mm)	Dimensions W x D x H (mm)	Product code
RTW/Z 10-5/1200	1000 x 500	1075 x 575 x 1200	0121403
RTW/Z 10-6/1200	1000 x 600	1075 x 675 x 1200	0121404
RTW/Z 12-5/1200	1200 x 500	1275 x 575 x 1200	0121405
RTW/Z 12-6/1200	1200 x 600	1275 x 675 x 1200	0121406
RTW/Z 14-5/1200	1400 x 500	1475 x 575 x 1200	0121409
RTW/Z 14-6/1200	1400 x 600	1475 x 675 x 1200	0121410



			RTW/Z 10/12/14-5	RTW/Z 10/12/14-6
	Width (mm)	Shelf load (kg)	Product code	Product code
A-GS/N5 1000/500	1000	150	0102672	0102682
A-GS/N5 1200/500	1200	160	0102742	0102752
A-GS/N5 1400/500	1400	125	0102812	0102822



Mobile shelving unit • height 1652 mm

- In kit form
- For self-assembly
- Not including shelves
- Pitch: 150 mm

Shelves (mm)	Dimensions W x D x H (mm)	Product code
1000 x 500	1070 x 570 x 1652	0123092
1000 x 600	1070 x 670 x 1652	0123093
1200 x 500	1270 x 570 x 1652	0123094
1200 x 600	1270 x 670 x 1652	0123095
1400 x 500	1470 x 570 x 1652	0123096
1400 x 600	1470 x 670 x 1652	0123097
	1000 x 500 1000 x 600 1200 x 500 1200 x 600 1400 x 500	1000 x 500 1070 x 570 x 1652 1000 x 600 1070 x 670 x 1652 1200 x 500 1270 x 570 x 1652 1200 x 600 1270 x 670 x 1652 1400 x 500 1470 x 570 x 1652



			RTW/Z 10/12/14-5	RTW/Z 10/12/14-6
	Width (mm)	Shelf load (kg)	Product code	Product code
A-DR/N5 1000/500	1000	180	0101772	0101782
A-DR/N5 1200/500	1200	150	0101842	0101852
A-DR/N5 1400/500	1400	100	0101912	0101922

Norm 5 louvred shelf for RTW/Z

Stainless steelShelf load: 150 kg

Norm 5 solid shelf for RTW/Z

Stainless steel

Norm 5 wired shelf for RTW/Z

Stainless steelWire spacing 25 mm

Wall shelving

Wall shelving

Where there is not enough space for standing units, wall shelving from Hupfer offers practical storage space within easy reach so that working material is available wherever it is needed.

Both the length of the adjustable rails and the width, depth and type of shelves can be widely varied. This means the wall shelving can be adapted to requirements, without tools, for efficient work and flexibility.

Hupfer wall shelving is robust, can hold heavy loads and supports a wide variety of work processes without taking up additional space. Work material can be stored directly on the shelves or in wire baskets, always clearly arranged and in easy reach.

Carefully welded edges and sturdy surfaces guarantee easy cleaning and prevent damage to sensitive materials.





Wall shelving




Adjustable wall shelf rail

- For attaching brackets
- Depth: 25 mm
- Pitch: 75 mm
- 3 drill holes in the wall required







Right

Assembl WB KON 4RA 300 li Left WB KON 4RA 400 li Left WB KON 4RA 300 mi Middle WB KON 4RA 300 re Right



Wall shelf bracket

- For solid wall shelves
- For attaching to adjustable rails
- Stainless steel

	Shelf depth (mm)	Dimensions W x D x H (mm)	Product code
WB KON 300	300	42 x 294 x 144	0163434
WB KON 400	400	42 x 394 x 144	0163435

Shelf bracket for wall mounting

- For solid wall shelves
- For direct wall mounting
- Stainless steel

	Shelf depth (mm)	Dimensions W x D x H (mm)	Product code
WB KON-WB 300	300	42 x 280 x 144	0163436
WB KON-WB 400	400	42 x 380 x 144	0163437



Wall shelf bracket

- For Norm 5 and Norm 20 shelves
- For attaching to adjustable rails
- Electropolished stainless steel

	Shelf depth (mm)	Dimensions W x D x H (mm)	Product code
WB KON N5/20 300	300	42 x 299 x 199	0163461
WB KON N5/20 400	400	42 x 399 x 203	0163462



WB KON 4RA 400 re



	Dimensions W x D x H (mm)	Product code
WB A-GS 600/300	600 x 300 x 79	0163422
WB A-GS 800/300	800 x 300 x 79	0163423
WB A-GS 1000/300	1000 x 300 x 79	0163424
WB A-GS 1200/300	1200 x 300 x 79	0163425
WB A-GS 1400/300	1400 x 300 x 79	0163426
WB A-GS 600/400	600 x 400 x 79	0163427
WB A-GS 800/400	800 x 400 x 79	0163428
WB A-GS 1000/400	1000 x 400 x 79	0163429
WB A-GS 1200/400	1200 x 400 x 79	0163430
WB A-GS 1400/400	1400 x 400 x 79	0163431

Wall shelf bracket

For tubular shelves For attaching to adjustable rails

ly	Tubular shelves	Dimensions W x D x H (mm)	Product code
	4	42 x 314 x 103	0163463
	5	42 x 414 x 103	0163466
	4	42 x 312 x 103	0163464
	4	42 x 314 x 103	0163465
	5	42 x 414 x 103	0163468

With 40 mm upstand on the rear Stainless steel

Medical furnishings

Hupfer medical furnishings and fixtures are characterised by their high-quality workmanship, flexibility and extreme resilience in tough conditions. MediFurn® is a new generation of furnishings that sets new standards in terms of functionality, workmanship and design. The seamlessly welded products are easier to clean and hygiene can be more reliably maintained.



MediFurn[®]






Added hygiene: bodies with HS, H1 and H2 quality

As well as products designed to the familiar HS hygiene standard, bodies with the optimised hygienic design types H1 and H2 as per DIN 18865-9 are now available.

The new models are characterised by a fully welded finish, with corners rounded to various spherical radii. The key benefit of seamless design is that there are no longer any gaps that secretions, blood, proteins or other liquids might penetrate.






H2

For hygiene level H2,

the bases and side panels of the bodies have a seamless welded

design with a spherical radius of around 20 mm on the inside. This extra large radius is ideal for particularly thorough cleaning and significantly reduces the risk of germs. H2 bodies thus also offer maximum safety in places where maintaining hygiene is particularly challenging.





welded, with a smaller spherical radius of around 3 mm on the inside. H1 bodies are recommended for areas with low to moderate hygiene requirements.

HYGIE SEVI H1





still the standard that is most commonly used. Bodies manu-

factured in compliance with this standard still have seams between the base and side panels, making intensive cleaning more difficult. HS bodies are therefore only suitable for areas where hygiene is not critical.





The quickest fix: base with magnetic lock The 100 mm base is secured to the floor frame with a magnetic catch and the joint can be sealed on site with silicone if necescleaning standards. sary. This means the base

can be quickly removed for

maintenance.

Safe and strong: Easy to clean: welded shelving bolts the hinges All shelving bolts sit flush so that there are no hard-to-reach recesses, thus guaranteeing high make cleaning easier.





MediFurn® worktops, panels and doors are available in both tried-and-tested stainless steel (CNS 1.4301) as well as new Blackline design panels with decorative trims, in various colours. The robust material not only has highly resistant and durable surfaces, but also plenty of customisable design options thanks to its range of attractive colours. These provide a welcome contrast to the stern, sterile stainless steel and offer you complete freedom of design to incorporate your colour schemes and design concepts throughout your premises.



The sturdy hinges are not fastened inside the door, but on top of the door to



Top-class protection: recessed handles The handles in the drawers, runners and cabinet doors are all inside the contour of the worktop, helping to prevent collisions when passing.



Universal safety: sealing lips The continuous seals on runners and doors stop liquids and dust from getting in.





MediFurn®



MediFurn[®] cleaning table systems

Cleaning tables are subject to particularly challenging hygiene conditions. To optimise hygienic safety, we equip the bodies of the MediFurn® cleaning table systems to meet hygiene levels H1 and H2 on request. The seamless design avoids dirt-prone recesses, so that cleaning is easier.

The **individual modules** (sink module, cabinet with doors, drawers, etc.) are available in various sizes and designs as required.

Our cleaning table systems are also available with optional **accessories**, such as air jets, spray attachments, spray guards and ultrasonic baths.






Our cleaning table systems are also available with optional **accessories**, such as air jets, spray attachments, spray guards and ultrasonic wells.



Wells are available in a range of designs and sizes, and sit seamlessly in the work surface.

Limitless options for all-round safety.

The modular design of MediFurn[®] furnishings means cleaning table systems can be created in any conceivable shape and size. They optimally combine high standards of functionality and ergonomic design. Precision manufacturing and smart solutions down to the finest detail guarantee easy cleaning and safety up to hygiene level H2.




Beaded edging and draining edge

The beaded edging stops liquids dripping from the worktop while the draining edge reduces the risk of liquids penetrating the inside of the cabinet. Continuous sealing lips on the doors and runners provide additional protection.



142 143



Effective beaded edging: Stops liquids from dripping off the worktop.

MediFurn[®]



MediFurn[®] packing tables

Checking, sorting, cleaning, packaging – packing tables bring together a range of jobs at a single workstation. This means they have very high requirements for safe, functional and ergonomic technical equipment.

MediFurn® packing tables are made completely of premium quality stainless steel and are designed to be easily adapted to the needs of individual employees.

The tables offer maximum flexibility for connection to existing building services while height-adjustable tables can be set to the ideal working height at the touch of a button. All the technical components are arranged within easy reach. On request, MediFurn® packing tables are also available as mobile versions with casters.

If additional working space is required, the tray pull-out is the optimum solution, and slides back under the worktop when not in use.



Energy-efficient LED technology and high-luminosity cold-light fluorescent tubes are available to illuminate the workplace.





The working height can be precisely adjusted by up to 30 cm at the touch of a button on the digital display. The standard initial heights are 75 cm and 85 cm.



To avoid cable clutter, all connecting lines and cables can be routed along the trough over almost the entire width.



The connection to the on-site compressed air, electricity and network outlets is made via the central utility column which optionally reaches to the ceiling. The connections can be accessed at any time via the inspection flap.



The PC cabinet with a fully extendable pull-out runner has wing doors with vents to ensure the circulation of air around computers and other equipment prone to heating up.



Drawer blocks, drawers for GN containers and fully extendable pull-out drawers are available for the base structure. Self-closing and wing doors are optionally available.

MediFurn[®]

MEDICAL FURNISHINGS

05



MediFurn® - tall cabinets and wall cabinets

MediFurn[®] tall cabinets and wall cabinets provide space for protected storage and at the same time guarantee organisation, versatility and easy handling. They can be carefully tailored to a wide array of storage items and provide quick and secure access to material and tools.

They are designed to hold solid or wired shelves and can be alternatively equipped with polymer walls in StU or ISO format to store modular or sterile goods baskets.



Solid or wired shelves can be used to store a variety of items.





Claddings, inclined tops and flat tops ensure visually tidy connections all round to stop dust from collecting and to make the cabinets easier to clean.



The **pharmacy cabinet** is specially designed to provide safe storage for instruments. It can be easily pulled out to provide a perfect overview of everything inside. Holders are available for a wide range of instruments.



Internal polymer panels in ISO format are available as an option for storing modular and sterile goods baskets, making it even easier to handle items.



Drawers in a range of sizes can be integrated as required.



Depending on the application, the **cabinet modules** can be fitted with Medidul sections to hold **StU or ISO standard** sterile supplies basket and containers.



Packing and work tables

Hupfer packing and working tables help operational processes by providing space to work. The table frames are completely made of stainless steel. Many models come either with height-adjustable screw feet or in a mobile version with castors. Robust, easy-to-clean tabletops and intermediate shelves extend the range of uses even further.

Tops and bases in StU or ISO sizes can be individually equipped with baskets, shelves and many other accessories. This means that important work equipment is clearly sorted and within easy reach at all times. Utility columns are available for electricity and compressed air supplies.

Ergonomics at the touch of a button

The electrohydraulic height adjustment allows the working height to be adjusted to anywhere between 850 and 1150 mm. The powerful 230-volt electric motor is protected in the cabinet under the worktop so that installations are visible or get in the way.

The base can optionally be equipped with a solid shelf, a louvred shelf or a wired shelf from the Norm 5 shelving system.





Mobile packing tables

Rost frei

INOX STAINLESS STEEL

Stationary packing tables

Sturdy, versatile and expandable packing tables can be used in many different departments. The electrohydraulic height adjustment makes them especially comfortable to use. It means the packing tables can be infinitely adjusted at the touch of a button to the optimum height for fatigue-free working.







PT 1447/750/900 F



Electrically height-adjustable packing table

- 50 mm anti-drip edge on all sides
- Worktop thickness: 1.5 mm
- 230 V electrical connection

	Maximum load (kg)	Weight (kg)	Dimensions W x D x H (mm)	Product code
PT-EH 1400/700/850-1150	250	48	1400 x 700 x 850 / 1150	7504885
PT-EH 1600/700/850-1150	217	52	1600 x 700 x 850 / 1150	7504843
PT-EH 1800/700/850-1150	245	56	1800 x 700 x 850 / 1150	7504851
PT-EH 2000/700/850-1150	150	60	2000 x 700 x 850 / 1150	7504842
PT-EH 2200/700/850-1150	200	71	2200 x 700 x 850 / 1150	7504852





	Maximum load (kg)	Weight (kg)	Dimensions W x D x H (mm)	Product code
PT-EH 1400/700/850-1150 F	285	53	1400 x 700 x 850 / 1150	7504866
PT-EH 1600/700/850-1150 F	120	64	1600 x 700 x 850 / 1150	7504881
PT-EH 1800/700/850-1150 F	235	62	1800 x 700 x 850 / 1150	7504882
PT-EH 2000/700/850-1150 F	235	66	2000 x 700 x 850 / 1150	7504883

Small packing table

Worktop thickness: 1.5 mm 4 swivel castors (2 with total brakes)

um	Weight (kg)	Dimensions	Product
ig)		W x D x H (mm)	code
	23	850 x 750 x 902	7500216

Worktop thickness: 1.5 mm 4 swivel castors (2 with total brakes)

ım	Weight (kg)	Dimensions	Product
g)		W x D x H (mm)	code
	31	1447 x 750 x 902	7500184

150

Solid HPL worktop 4 swivel castors (2 with total brakes)

um	Weight (kg)	Dimensions	Product
g)		W x D x H (mm)	code
	37	1447 x 750 x 900	7500461

Electrically height-adjustable packing table

Worktop thickness: 1.5 mm 4 swivel castors (2 with total brakes) 230 V electrical connection

Stationary packing tables



Single hook rack for packing table

- With welded hooks
- Hook spacing: 350 mm
- Load per hook: 60 kg

	Hook sides	Dimensions W x D x H (mm)	Product code
HL/1s 555/40/1447	1	555 x 40 x 1447	7500217
HL/2s 555/55/1447	2	555 x 55 x 1447	7500431



Double hook rack for packing table

- With welded hooks
- Hook spacing: 350 mm
- Load per hook: 60 kg

	Hook sides	Dimensions W x D x H (mm)	Product code
HL/1s 1250/40/1447	1	1250 x 40 x 1447	7500185
HL/2s 1250/55/1447	2	1250 x 55 x 1447	7500430



NORM 5 wired shelf



			For upright depth 400 mm	For upright depth 600 mm
	Width (mm)	Shelf load (kg)	Product code	Product code
A-DR/N5 800/400	800	180	0101612	0101642
A-DR/N5 1400/400	1400	150	0101892	0101922



Work tables

With their sturdy design and hard-wearing materials, Hupfer work tables show their special strengths even under the harshest conditions. Due to the sandwich design and stainless steel underside, the worktops are optimally vibration-free.

Rost frei

INOX STAINLESS STEE





AT-0 1500/750/850





Open work table

Stainless steel tabletop with sandwich design
 Underside enclosed in stainless steel
 Height-adjustable polymer feet

Dimensions W x D x H (mm)	Product code
1000 x 750 x 850	7504583
1200 x 750 x 850	7504584
1500 x 750 x 850	7504585

Open work table with intermediate shelf

- Stainless steel tabletop with sandwich design
- Welded intermediate shelf
- Underside enclosed in stainless steel
- Height-adjustable polymer feet

Dimensions W x D x H (mm)	Product code
1000 x 750 x 850	7504586
1200 x 750 x 850	7504587
1500 x 750 x 850	7504588

Operating theatre steps



With their sturdy construction and contoured non-slip surfaces, Hupfer operating theatre steps give a firm foothold for the ideal position in relation to the patient. The steps and frame are firmly bolted and can be dismantled for cleaning. The steps are of a uniform height with no overlap and are electrically conductive to ensure additional safety in the operating theatre. Hupfer operating theatre steps thus meet all the requirements of DIN EN 14183.

The **Hupfer hook trolley for operating theatre steps** is ideal for storage. Instead of the usual stacked storage, the steps are placed on separate brackets and can be easily removed as required. More information can be found on page 46.





Single operating theatre step

Bolted steps and frame
 Non-slip tread
 Anti-slip feet
 Electrically conductive

Dimensions W x D x H (mm)	Product code
600 x 350 x 130	7500294
600 x 350 x 220	7500295
600 x 350 x 300	7500296

Double operating theatre step

Bolted steps and frame
 Non-slip tread
 Anti-slip feet
 Electrically conductive

Dimensions W x D x H (mm)	Product code
600 x 680 x 220-440	7500297

Pass-through chambers



The Hupfer pass-through chambers act as a barrier for the intermediate storage of goods between clean and unclean areas, as well as for delivering sterile supplies and disposing of contaminated material on Hupfer transport trolleys.

The stable, self-supporting and hygienic structure, made of high-quality stainless steel, consists of a body enclosed on all sides, with two double-walled wing doors each on the clean and the unclean sides. An electromagnetic door lock prevents the doors to the clean and unclean sides from being open at the same time. Red indicator lights indicate open doors on the opposite side, and there are green buttons to release the doors underneath, provided the doors on the opposite side are closed.





158 159

Pass-through chamber

Electrical interlock

port trolley	Dimensions W x D x H (mm)	Product code
6 StU	1150 x 960 x 1800	7504604
9 StU	1436 x 960 x 1800	7504605




Wall-mounted hook rails



Hupfer wall-mounted hook rails are designed for quick and safe insertion, reorganisation and removal of storage baskets and attachments. The customised arrangement guarantees rapid handling of material and easy removal of consumables.

A large selection of attachments for wall-mounted hook rails can be found on pages 16 and 17 and from page 54, or at www.hupfer.com



		n load per hook or equipotential bor ed with polymer cap	0	
	Number of hooks	Hook spacing mm	Rail length mm	Product code
WHSc 700-2/350	2	350	700	7500027
WHSc 1050-3/350	3	350	1050	7500028
WHSc 1400-4/350	4	350	1400	7500029
WHSc 1750-5/350	5	350	1750	7500030
WHSc 900-2/410	2	410	900	7500186
WHSc 1300-3/410	3	410	1300	7500187
WHSc 1600-4/410	4	410	1600	7500188
WHSc 900-4/215	4	215	900	7500189
WHSc 1300-6/215	6	215	1300	7500190
WHSc 1600-7/215	7	215	1600	7500031



Wall-mounted hook rail





Hygiene programme

Optimum hygiene is of the utmost importance in every clinic, hospital and sterilisation facility. However different the many types of task and work processes are, the Hupfer hygiene programme allows hand hygiene and disinfection everywhere to provide optimum safety for employees, patients and visitors.







950 ml soap dispenser

For interchangeable bottles

Lockable

-	Capacity (ml)	Dimensions W x D x H (mm)	Product code
Soap dispenser TC1-01	950	76 x 120 x 298	8600025



Soap/disinfectant dispenser


- Can be operated without hand contact
- Can be filled with any liquid soap, washing lotion or disinfectant

	Capacity (ml)	Dimensions W x D x H (mm)	Product code
SDMS Type I-1000	1000	93 x 197 x 302	8600129









Hand wash basin

With rear panel and tap

Not for pressureless water heaters with three lines

Dimensions W x D x H (mm)	Product code
400 x 310 x 560	8200342

Towel dispenser 300

Opening by bolt lock

ity of folded paper towels	Dimensions W x D x H (mm)	Product code
Approx. 300	300 x 126 x 308	8600006

Towel dispenser 500

Opening by bolt lock

ity of folded paper towels	Dimensions W x D x H (mm)	Product code
Approx. 500	298 x 120 x 298	8600022

Waste paper basket

Free-standing or wall mounting

Dimensions W x D x H (mm)	Product code
340 x 265 x 425	8600029

Laundry and waste collectors

Hupfer laundry and waste collectors ensure safe, economical processes from sorting and treatment to the professional disposal of critical materials. The extensive product range allows solutions to be tailored to the specific situation and requirements.




164 165

Laundry and waste collectors

Laundry and waste collectors

Hupfer laundry and waste collectors make disposal tasks very easy to carry out. This is ensured by the stable construction, versions for various requirements and easy and safe manoeuvring on smooth-running castors.













LAUNDRY AND WASTE COLLECTOR 06







Laundry and waste collector

■ 3 compartments With rubber ring Stainless steel

Dimensions W x D x H (mm)	Product code
1010 x 450 x 905	7501093

Laundry and waste collector

With pedal and lid

Dimensions W x D x H (mm)	Product code
350 x 496 x 913	0163920

Laundry and waste collector

Dimensions W x D x H (mm)	Product code
680 x 496 x 913	0163921

Laundry and waste collector

With pedal and lid 3 compartments With rubber ring

Dimensions W x D x H (mm)	Product code
1010 x 496 x 913	0163922

Theatre laundry/waste collectors

Accessories for theatre laundry/waste collectors

Rost frei INOX STAINLESS STEE

Theatre laundry/waste collectors

Operating theatres place special demands on equipment and devices in clinics and hospitals. Hupfer theatre laundry/waste collectors are optimally tailored to this in their function and design, right up to their electrically conductive castors.



	Model	Dimensions W x D x H (mm)	Product code
Lid 290x400x25 mm	Without hinge	290 x 400 x 25	7501008
Lid 290x421x25 mm	With hinge	290 x 421 x 25	7501009




	Model	Dimensions W x D x H (mm)	Product code
Lid 290x400x60 mm	Without hinge	290 x 400 x 60	7500261
With hinge	Collector with pedal	290 x 400 x 60	7501679



Theatre laundry/waste collectors

- 1 compartment
- With laundry bag holding frame
- Secure clamping of bag/nets
- Antistatic castors

	Dimensions W x D x H (mm)	Product code
OP-SWA-1 350/450/901	350 x 450 x 905	7500711



Rubber ring 374/40





Theatre laundry/waste collectors

- 2 compartments
- With laundry bag holding frame
- Secure clamping of bag/nets
- Antistatic castors

	Dimensions W x D x H (mm)	Product code
0P-SWA-2 680/450/901	680 x 450 x 905	7500712

168 169

Lid for collector without pedal

Rubber ring

Dimensions W x H (mm)	Product code
374 x 40	7500260



Highly recommended: the knowledge and experience of our experts

We are always happy to help

Our general terms and conditions at www.hupfer.com/de/avb apply. Prices do not include statutory VAT and shipping costs¹. The latest prices at www.hupfer.com apply

¹Handling and standard freight charge

Presented by

Germany (mainland, excluding islands): €35 for a net goods value up to €750; plus transport insurance amounting to 0.5% of the merchandise net value Standard freight charge, international: €70 for a net goods value up to €1500; plus transport insurance amounting to 0.5% of the merchandise net value The standard freight charge applies to shipping of general cargo by overland transport.

Hupfer Randles Road-Knowsley Business Park Merseyside L34 9HX Great Britain Tel.: + 44 (0) 151 549 1010 Fax: + 44 (0) 151 549 1010 info@hupfer.com · www.hupfer.com



Not to be reproduced in any form, whether in part or in full, without prior permission All images are examples, without decoration, and may include special equipment. Concept and layout: RWS Group Deutschland GmbH, Berlin RWS 03/20. Hupfer 2020. All data/dimensions are approximate. Subject to technical chang