

HUPFER

we make work flow



CLEVER TIME WINNER

The new mobile shelf for Euro containers.
Cost savings through more flexibility.



THE REVOLUTION IN COLD STORE LOGISTICS

Until now, cleaning cold storage cells has always involved a lot of effort: Time-consuming moving of stored goods from one cold store to another, moving shelves, cleaning and returning everything. Especially in companies with an increased need for cleaning, like such as slaughterhouses, these processes are very time-consuming. With the new mobile shelving from Hupfer, handling becomes child's play. Simply push the robust rack together with the Euro container and the stored goods to the side and off you go. This even works as a single person without additional help. The product saves time and money.

The new mobile shelf for Euro containers

MAXIMUM ERGONOMICS
HIGH FLEXIBILITY

Technical data mobile shelf for Euro containers

Model	RG-F EB 9-6/1796	RG-F EB 13-6/1796
Dimension in mm (W x H x D)	960 x 1796 x 675	1390 x 1796 x 675
Capacity	max. 10 E 2 Euro containers*	max. 15 E 2 Euro containers*
Payload	260 kg	250 kg
Grid dimension	75 mm	75 mm
Weight	approx. 40 kg	approx. 50 kg
Castor equipment	4 swivel castors, 2 with brakes, ø 125 mm	4 swivel castors, 2 with brakes, ø 125 mm

*Euro container measuring 600 mm x 400 mm x 200 mm

All advantages at a glance

Well protected
The closed roof offers additional protection for the goods in the Euro containers.

Clean thing
Easy cleaning of the shelf with tap water and grease-dissolving liquid cleaner or stainless steel cleaner. Removable rails can be rinsed separately if necessary.

Good for the back
Low physical strain through ergonomic working heights at the same time as a good overview of the goods.

Easy
The easy manoeuvrability with maximum load is possible on its own without any problems.

Place winner
Thanks to the indented castors, the shelf can be moved completely up against the wall completely against the wall and effectively save space.

Flexibly adjustable
For the use of different Euro container heights, the rails are removable and individually adjustable.

Extra strong
Designed for a maximum of 15 E 2 Euro containers with a payload up to 250 kg thanks to the sturdy fully welded chassis frame with cross brace.

BECOME CURIOS? WE ARE THERE FOR YOU!



You will find much more informations on our website.

Your Hupfer contact will be happy to advise you.
Contact us now and make an appointment!

Hupfer Metallwerke GmbH & Co. KG
Dieselstraße 20 · 48653 Coesfeld
Postfach 14 63 · 48634 Coesfeld
Tel.: +49 2541 805-0
Fax: +49 2541 805-111
info@hupfer.com · www.hupfer.com

HUPFER
we make work flow