

Incounter crockery dispenser heated □ 100-150

Технические характеристики изделия 0162542 | EBR-TAS/H 100-150

HUPFER
we make work flow



Показан пример без декоративных элементов, точность технического описания не гарантируется.

Технические характеристики

Полезная нагрузка:	46
Мощность:	600 W
Входное напряжение:	220 V
Номинальный ток:	2,6 A
Частота:	50 Hz
Масса:	19 кг
Ширина:	470 мм
Глубина:	470 мм
Высота:	821 мм

Cup dispenser for installation into a worktop, for storing three to eight stacks of round \varnothing 3.9-5.9" (100-150 mm) cups, glasses and mugs in a statically heated stacking compartment.

Dispenser in robust and hygienic design, made of high-quality stainless steel. Design for installation from above with shelf frame. Stacking compartment with stainless steel stacking platform and inner compartment panelling made of anodised-aluminium perforated plate to prevent crockery discolourations. Consistent output height thanks to manually adjustable stainless steel tension spring system. Easy cleaning of stacking compartment from above and via a cleaning opening in the base plate. Reduced temperature losses and heating time thanks to cover hood made of polycarbonate with 3-point locking mechanism. Heating through stainless steel tubular heating element, infinitely variable using thermostat toggle switch on the equipment, with temperature limiter as per VDE. Current supply via a connecting cable set consisting of two connecting cables with earthed plug and equipment plug and an On/Off switch with integrated indicator light as disconnecter.

The Hupfer incounter plate dispenser EBR-TAS/H 100-150 is used to save space when storing and handing out cups, glasses and mugs without using baskets by means of three to eight self-guided stacks on one stacking platform. The use of non-rusting stainless steel springs that are easy to insert and remove results in optimal adjustment options for different loads. The on/off switch can be conveniently integrated into the worktop and requires a cut-out measuring 30 × 22 mm.

Дата обращения: 31.03.2026,
20:35:10

Значения величин и размеров являются приблизительными, точность технического описания не гарантируется. © Hupfer