

Stationary shelving set norm 5 with solid shelf

Технические характеристики изделия N5GS19004001200 | RTW/Z 14-5/1200

Технические характеристики



Показан пример без декоративных элементов, точность технического описания не гарантируется.

 Размер ячейки:
 150 mm

 Саrbon footprint (ТМ65 Basic Report)
 327 kgCO□e

 Полезная нагрузка:
 200 kg

 Масса:
 34 кг

 Ширина:
 1875 мм

 Глубина:
 400 мм

 Высота:
 1200 мм

Displaceable shelf made of high-quality stainless steel in hygienic design as per DIN 18868-2.

Uprights made of 1.0×1.0 " (25×25 mm) square tubes, connected and stabilised by press-fitted 2.0×0.12 " (50×3 mm) upright spokes running crosswise. Upper covering caps made of plastic, as hygienic ending of upright. Welded ø 0.28" (7 mm) shelf bolts at distances of 5.9" (150 mm) for easy attaching of shelves. Shelves in hygienic design for easy cleaning. Stiffening through four $2.0 \times 0.8 \times 0.06$ " ($50 \times 20 \times 1.5$ mm) long rails. 4 polyethylene disc bumpers serve as bumpers and protect trolley on all sides as well as building-side walls from being damaged. Mobile shelving unit with 4 swivel casters of which two with total lock, ø 4.9" (125 mm), with back-hole fastening.

The Hupfer mobile shelving unit RTW/Z 14-5/1200 features extensive equipment options, allowing a wide range of individual options for use as well as adjustment options for diverse space requirements and temperature conditions.

Дата обращения: 18.11.2025, 08:09:21

Значения величин и размеров являются приблизительными, точность технического описания не гарантируется. © Hupfer